

INTERESTING PAPERS IN OTHER JOURNALS

ECONOMIC GEOLOGY prints partial tables of contents of a number of journals as an information service. *Please do not write to us to obtain copies of the journals or papers.* If you cannot arrange to get copies of interesting No.s through your normal library sources, please contact the offices of the individual journals for assistance. Where possible, their U.S. addresses are given. Addresses are listed in No. 1.

AMERICAN MINERALOGIST

Vol. 87, No. 7, 2002

- Kinetics of iron oxidation-reduction in hydrous silicic melts—*Fabrice Gaillard, Bruno Scaillet, and Michel Pichavant****829
Structural properties and heat-induced oxidation-dehydrogenation of manganoan ilvaite from Perda Niedda mine, Sardinia, Italy
*Paola Bonazzi and Luca Bindi****845
Metamictization and recrystallization of titanite: An infrared spectroscopic study—*Ming Zhang, Ekhard K.H. Salje, Ulrich Bismayer, Lee A. Groat, and Thomas Malcherek****882
Correlation between OH concentration and oxygen isotope diffusion rate in diopsides from the Adirondack Mountains, New York—*Elizabeth A. Johnson, George R. Rossman, M. Darby Dyar, and John W. Valley****899
The substitution Fe³⁺-Al and the isosymmetric displacive phase transition in synthetic zoisite: A powder X-ray and infrared spectroscopy study—*Axel Liebscher, Matthias Gottschalk, and Gerhard Franz****909
In situ X-ray observation of the reaction dolomite = aragonite + magnesite at 900-1300 K—*Miki Shirasaka, Eiichi Takahashi, Yu Nishihara, Kyoko Matsukage, and Takumi Kikegawa****922
Quantitative characterization of biotic iron oxides by analytical electron microscopy—*D. Mavrocordatos and Danielle Fortin****940
Surface reconstruction and aspolymerization at fractured loellingite (FeAs₂) surfaces—*H.W. Nesbitt, I. Uhlig, and R. Szargan****1000
Diamond formation through carbonate-silicate interaction—*Yuri N. Pal'yanov, Alexander G. Sokol, Yuri M. Borzdov, Alexander F. Khokhryakov, and Nikolay V. Sobolev****1009
Anisotropic Fe-Mg diffusion in biotite—*Tadashi Usuki****1014

ANALYTICA CHIMICA ACTA

Vol. 463, No. 1, 2002

- Simplified method for the Re-Os dating of molybdenite using acid digestion and isotope dilution ICP-MS—*Dmitry Malinovsky, Iliia Rodushkin, Douglas Baxter, and Björn Öhlander****111

BIOGEOCHEMISTRY

Vol. 59, No. 1-2, 2002

Special Issue on Biogeochemistry of European Estuaries

BULLETIN OF VOLCANOLOGY

Vol. 64 No. 5, 2002

- The role of basalt replenishment in the generation of basaltic andesites of the ongoing activity at Arenal volcano, Costa Rica: evidence from clinopyroxene and spinel—*Martin J. Streck, Michael A. Dungan, E. Malavassi, Mark K. Reagan, and Francois Bussy****316
Estimation of SO₂ abundance in the eruption plume of Mt. Etna using two MIVIS thermal infrared channels: a case study from the Sicily-1997 Campaign—*S. Pugnaghi, S. Teggi, S. Corradini, M.F. Buongiorno, L. Merucci, and M.P. Bogliolo****328

CANADIAN JOURNAL OF EARTH SCIENCES

Vol. 39, No. 6, 2002

- Detrital zircon geochronology of the Taku terrane, southeast Alaska—*George E. Gehrels****921
- Variation in plagioclase clouding intensity in Matachewan dykes: evidence for the exhumation history of the northern margin of the Sudbury Igneous Complex—*J.P. Siddorn and H.C. Halls****933
- New insights into the structure of the Sudbury Igneous Complex from downhole seismic studies—*David Snyder, Gervais Perron, Karen Pflug, and Kevin Stevens****943
- Dextral strike-slip faulting in the Cariboo Mountains, British Columbia: a natural example of wrench tectonics in relation to Cordilleran tectonics—*L.F. Reid, P.S. Simony, and G.M. Ross****953
- "Sudbury Breccia" at Whitefish Falls, Ontario: evidence for an impact origin—*Andrew C. Parmenter, Christopher B. Lee, and Mario Coniglio****971
- Mesoproterozoic lamprophyres in the Labrieville Massif, Quebec: clues to the origin of alkalic anorthosites?—*Brent E. Owens and Paul B. Tomascak****983
- Age of volcanic rocks and syndepositional iron formations, Marquette Range Supergroup: implications for the tectonic setting of Paleoproterozoic iron formations of the Lake Superior region—*D.A. Schneider, M.E. Bickford, W.F. Cannon, K.J. Schulz, and M.A. Hamilton****999
- Mesozoic thermal history and timing of structural events for the Yukon-Tanana Upland, east-central Alaska: $^{40}\text{Ar}/^{39}\text{Ar}$ data from metamorphic and plutonic rocks—*Cynthia Dusel-Bacon, Marvin A. Lanphere, Warren D. Sharp, Paul W. Layer, and Vicki L. Hansen****1013

CHEMICAL GEOLOGY

Vol. 186, No. 3-4, 2002

- Lead evolution of the Pre-Mesozoic crust in the Central Andes (18-27°): progressive homogenisation of Pb—*Friedrich Lucassen, Russell Harmon, Gerhard Franz, Rolf L. Romer, Raul Becchio, and Wolfgang Siebel****183
- Measurement of ancient cosmogenic ^{21}Ne in quartz from the 28 Ma Fish Canyon Tuff, Colorado—*J. C. Libarkin, J. Quade, C. G. Chase, J. Poths, and W. McIntosh****199
- Juvenile lithospheric mantle enrichment and the formation of alkaline ultramafic magma sources: Re-Os, Lu-Hf and Sm-Nd isotopic systematics of the Norseman melnoites, Western Australia—*S. Graham, D. D. Lambert, S. R. Shee, and N. J. Pearson****215
- Thermogenic hydrocarbons from the offshore Calypso hydrothermal field, Bay of Plenty, New Zealand—*R. Botz, H. Wehner, M. Schmitt, T. J. Worthington, M. Schmidt, and P. Stoffers****235
- Seeping hydrocarbons and related carbonate mineralisations in sediments south of Lihir Island (New Ireland fore arc basin, Papua New Guinea)—*M. Schmidt, R. Botz, K. Winn, P. Stoffers, O. Thiessen, and P. Herzig****249
- The mafic-ultramafic rock association of Loderio-Biasca (lower Pennine nappes, Ticino, Switzerland): Cambrian oceanic magmatism and its bearing on early Paleozoic paleogeography—*Urs Schaltegger, Dieter Gebauer, and Albrecht von Quadt****265
- Geochemical and Sr-Nd-Pb isotopic compositions of Cretaceous granitoids: constraints on tectonic framework and crustal structure of the Dabieshan ultrahigh-pressure metamorphic belt, China—*Hongfei Zhang, Shan Gao, Zengqiu Zhong, Benren Zhang, Li Zhang, and Shenhong Hu****281
- Constraints on timing of peak and retrograde metamorphism in the Dabie Shan Ultrahigh-Pressure Metamorphic Belt, east-central China, using U-Th-Pb dating of zircon and monazite—*John C. Ayers, Stacie Dunkle, Shan Gao, and Calvin F. Miller****315

CHEMIE DER ERDE

Vol. 62, No. 2, 2002

- Geochemistry and tectonic framework of proterozoic mafic metavolcanics of Aravalli-Delhi Orogen, NW India—*Z.S.H. Abu-Hamattah****89
- Geochemical characteristics of the gold mineralization near Tsohon Birnin Gwari, northwestern Nigeria—*I. Garba****145

CLAY MINERALS

Vol. 37 No. 2, 2002

- Contrasting clay mineral assemblages in British Lower Palaeozoic slate belts: the influence of geotectonic setting—*R.J. Merriman****207
- Metastable Si-Fe phases in hydrothermal sediments of Atlantis II Deep, Red Sea—*N. Taitel-Goldman and A. Singer****235
- Dickite genesis in the 'varicoloured' clay-shale formation of the Italian Apennines: an isotopic approach—*F. Veniale; A. Delgado, L. Marinoni, and M. Setti****255
- Chlorite composition and geothermometry: a comparative HRTEM/AEM-EMPA-XRD study of Cambrian basic lavas from the Ossa Morena Zone, SW Spain—*A. López-Munguira, F. Nieto, and D. Morata****267
- The mineralogy, texture and significance of silica derived from alteration by steam condensate in three New Zealand geothermal fields—*K.A. Rodgers, K.L. Cook, P.R.L. Browne, and K.A. Campbell****299
- Identification of components in smectite/kaolinite mixtures—*J. Madejová, J. Kekés, and H. Pálková; P. Komadel****377

COMPUTERS & GEOSCIENCES

Vol. 28, No. 5, 2002

- Computer modelling of trace metal ion speciation: Practical implementation of a linear continuous function for complexation by natural organic matter—*Christophe Huber, Montserrat Filella, and Raewyn M. Town****587
- VolatileCalc: A silicate melt-H₂O-CO₂ solution model written in Visual Basic for Excel—*Sally Newman and Jacob B. Lowenstern****597
- ArArCALC - software for ⁴⁰Ar/³⁹Ar age calculations—*Anthony A. P. Koppers****605
- A GIS method for reconstruction of late Quaternary landscapes from isobase data and modern topography—*David W. Leverington, James T. Teller, and Jason D. Mann****631
- Erosion Database Interface (EDI): A computer program for georeferenced application of erosion prediction models—*Simone Beatriz Lima Ranieri, Quirijn de Jong van Lier, Gerd Sparovek, and Dennis C. Flanagan****661
- Display of Munsell color values, earthquakes, and other three- and four-parameter datasets in stereo 3D—*Neil A. Wells****701
- SINCLAS: standard igneous norm and volcanic rock classification system—*Surendra P. Verma, Ignacio S. Torres-Alvarado, and Zulma T. Sotelo-Rodriguez****711

CONTRIBUTIONS TO MINERALOGY AND PETROLOGY

Vol. 143 No. 4, 2002

- I-type plutonism in a continental back-arc setting: Miocene granitoids and monzonites from the central Aegean Sea, Greece—*Rainer Altherr and Wolfgang Siebel****397
- Geochemistry of Mesozoic plutons, southern Death Valley region, California: Insights into the origin of Cordilleran interior magmatism—*O. Tapani Rämö, James P. Calzia, and Paula J. Kosunen****416
- Phase equilibria constraints on relations of ore-bearing intrusions with flood basalts in the Noril'sk region, Russia—*Rais M. Latypov****438
- Structure and metamorphism of the Gran Paradiso massif, western Alps, Italy—*F.M. Brouwer, R.L.M. Vissers, and W.M. Lamb****450
- Petrogenesis of tholeiite associations in Kudi ophiolite (western Kunlun Mountains, northwestern China): implications for the evolution of back-arc basins—*Zhihong Wang, Shu Sun, Jiliang Li, and Quanlin Hou****471
- Fluid inclusion record of the hypozonal orogenic Renco gold deposit (Zimbabwe) during the retrograde P-T evolution—*Jochen Kolb and F. Michael Meyer****495
- Cathodoluminescence and micro-structural evidence for crystallisation and deformation processes of granites in the Eastern Lachlan Fold Belt (SE Australia) —*Axel Müller, Paul Lennox, and Robert Trzebski****510

DOKLADY EARTH SCIENCES

Vol. 384, No. 4, 2002

- The first find of ultramafic nodules on the Greater Kuril Island Arc—*V.A. Ermakov, A.D. Babanskii, and A.V. Ermakov****353
- Massive and stringer-disseminated sulfide mineralization in the Sierra Leone fracture zone of the mid-Atlantic ridge in connection with specific features of its geological structure—*Yu. M. Pushcharovsky, N. S. Bortnikov, S. G. Skolotnev, A. A. Peive, V. Yu. Kolobov, N.V. Tsukanov, S.M. Lyapunov, E.V. Sharkov, A.G. Mochalov, M.I. Stolyarov, D.I. Krinov, N.V. Razdolina, and A. Chipriani****357
- Postcollision granitoid magmatism in the transangara region of the Yenisei Range: An event 750–720 Ma B.P.—*V.A. Vernikovskiy, A.E. Vernikovskaya, E.B. Sal'nikova, A.B. Kotov, and V.P. Kovach****362
- Theoretical estimate of the ore potential of Sakhalin Island and adjacent marine areas—*V.M. Grannik****367
- The Pkyl ore occurrence: A new prospective type of noble metal mineralization in Precambrian rocks of Karelia—*V.I. Ivashchenko, A.M. Ruch'ev, O.B. Lavrov, and N.I. Kondrashova****371
- Paleogene magmatism in the vicinity of the Murray Fracture Zone, Pacific Ocean—*E.N. Melankholina and N.M. Sushchevskaya****377
- Coesite inclusions in rounded diamonds from placers of the northeastern Siberian Platform—*A.L. Ragozin, V.S. Shatsky, G.M. Rylov, and S.V. Goryainov****385
- Possibility of the impact paragenesis of diamond-bearing eclogites with gray gneiss and basalt–komatiite complexes—*B.A. Blyuman****409
- The Mo/Mn ratio in oceanic phosphorites: An indicator of redox conditions of the environment—*G.N. Baturin****448

EARTH AND PLANETARY SCIENCE LETTERS

Vol. 199, No. 1-2, 2002

- Helium signature of the subcontinental lithospheric mantle—*Cécile Gautheron and Manuel Moreira****39
- HFSE residence and Nb/Ta ratios in metasomatised, rutile-bearing mantle peridotites—*F. Kalfoun, D. Ionov, and C. Merlet****49
- Lower crustal flow and the role of shear in basin subsidence: an example from the Dead Sea basin—*Abdallah Al-Zoubi and Uri ten Brink****67
- TOBI sidescan sonar imagery of the very slow-spreading Southwest Indian Ridge: evidence for along-axis magma distribution—*Daniel Sauter, Lindsay Parson, Véronique Mendel, Céline Rommevaux-Jestin, Olga Gomez, Anne Briais, Catherine Mével, Kensaku Tamaki, and the FUJI scientific team****81
- Seawater ($^{234}\text{U}/^{238}\text{U}$) during the last 800 thousand years—*Gideon M. Henderson****97
- Archean sulfide inclusions in Paleozoic zircon megacrysts from the Mir kimberlite, Yakutia: implications for the dating of diamonds—*Z. V. Spetsius, E. A. Belousova, W. L. Griffin, Suzanne Y. O'Reilly, and N. J. Pearson****111
- Paleogeography of the Amazon craton at 1.2 Ga: early Grenvillian collision with the Llano segment of Laurentia—*Eric Tohver, B.A. van der Pluijm, R. Van der Voo, G. Rizzotto, and J.E. Scandolaro****185

Vol. 199, No. 3-4, 2002

- Re-Os fractionation in magmatic sulfide melt by monosulfide solid solution—*James M. Brenan****257
- Osmium isotope constraints on lower crustal recycling and pluton preservation at Lassen Volcanic Center, CA—*Garret L. Hart, Clark M. Johnson, Steven B. Shirey, and Michael A. Clyne****269
- U-Pb isotopic behaviour of zircon during upper-amphibolite facies fluid infiltration in the Napier Complex, east Antarctica—*Christopher J. Carson, Jay J. Ague, Marty Grove, Christopher D. Coath, and T. Mark Harrison****287
- The most ancient ophiolite of the Central Asian fold belt: U-Pb and Pb-Pb zircon ages for the Dunzhugur Complex, Eastern Sayan, Siberia, and geodynamic implications—*E.V. Khain, E.V. Bibikova, A. Kröner, D.Z. Zhuravlev, E.V. Sklyarov, A.A. Fedotova and I.R. Kravchenko-Berezhnoy****311
- Geochemistry of near-EPR seamounts: importance of source vs. process and the origin of enriched mantle component—*Yaoling Niu, Marcel Regelous, Immo J. Wendt, Rodey Batiza, and Mike J. O'Hara****327
- A multibeam-sonar, magnetic and geochemical flowline survey at 14°14'S on the southern East Pacific Rise: insights into the fourth dimension of ridge crest segmentation—*Ingo Grevemeyer, Burkhard Schramm, Colin W. Devey, Douglas S. Wilson, Birgit Jochum, Jan Hauschild, Kay Aric, Heinrich W. Villinger, and Wilfried Weigel****359

Numerical models of crustal scale convection and partial melting beneath the Altiplano-Puna plateau—*A. Yu. Babeyko, S.V. Sobolev, R.B. Trumbull, O. Oncken and L.L. Lavie****373
Moho topography in the central Andes and its geodynamic implications—*X. Yuan, S.V. Sobolev, and R. Kind****389

ENVIRONMENTAL GEOLOGY

Vol. 42, No. 2-3, 2002

Special Issue on Subsurface Flow and Transport: From Theoretical Studies to Actions at Field Sites
Introduction to the Special Issue: "Subsurface flow and transport: from theoretical studies to actions at field sites"—*Chin-Fu Tsang and Vsevolod M. Shestakov****125

Vol. 42, No. 4, 2002

Groundwater and surface water contamination in the area of the Hitura nickel mine, Western Finland—*P.M. Heikkinen, K. Korkka-Niemi, M. Lahti, and V.-P. Salonen****313
Annual emissions of mercury to the atmosphere from natural sources in Nevada and California—*M.F. Coolbaugh, M.S. Gustin, and J.J. Ryuba****338
Gypsum karst, Sivas, Turkey—*G. Günay****387

ENVIRONMENTAL SCIENCE & TECHNOLOGY

Vol. 36, No. 14, 2002

Microbial reduction and oxidation of mercury in freshwater lakes—*Steven D. Siciliano, Nelson J. O'Driscoll, and D. R. S. Lean****3064

GEOCHEMISTRY, GEOPHYSICS, GEOSYSTEMS, G³

A major perturbation of the carbon cycle before the Ghaub glaciation (Neoproterozoic) in Namibia: Prelude to snowball Earth?—*G.P. Halverson, P.F. Hoffman, D.P. Schrag, and A.J. Kaufman****244
Published 27 June 2002
On the initiation of a snowball Earth—*D.P. Schrag, R.A. Berner, P.F. Hoffman, and G.P. Halverson****219
Published 27 June 2002

GEOCHEMICAL JOURNAL

Vol. 36, No. 3, 2002

High ³He/⁴He ratios in the Wangu gold deposit, Hunan province, China: Implications for mantle fluids along the Tanlu deep fault zone—*Jingwen Mao, Robert Kerrich, Hongyan Li, and Yanhe Li****197
Recycled noble gas and nitrogen in the subcontinental lithospheric mantle: Implications from N-He-Ar in fluid inclusions of SE Australian xenoliths—*Takuya Matsumoto, Daniele L. Pinti, Jun-ichi Matsuda, and Susumu Umino****209
Short-chain carboxylates in high-temperature ore fluids of W-Sn deposits in south China—*Yishan Zeng, Jiaqi Liu, and Yongfeng Zhu****219
Redox conditions of metal-carbon melts and natural diamond genesis—*I.I. Fedorov, A. A. Chepurov, and J.M. Dereppe****247
Chemical process and environment of hydrothermal alteration of acidic volcanic rocks in the Mitsuishi district, southwest Japan—*Atsushi Nabetani and Naotatsu Shikazono****255
An estimate of the lead isotopic compositions of upper mantle and upper crust and implications for the source of lead in the Jinding Pb-Zn deposit in Western Yunnan, China—*Zhang Qian, Liu Jiajun, Shao Shuxun, and Liu Zhihao****271

GEOCHIMICA ET COSMOCHIMICA ACTA

Vol. 66, No. 11, 2002

- Isotopic fractionation and the quantification of ^{17}O anomalies in the oxygen three-isotope system; an appraisal and geochemical significance—*Martin F. Miller****1881
- Fluxes to sediments underlying the Rainbow hydrothermal plume at $36^{\circ}14'\text{N}$ on the Mid-Atlantic Ridge—*R.R. Cave, C.R. German, J. Thomson, and R.W. Nesbitt****1905
- The chemistry of lava-seawater interactions II: the elemental signature—*Joseph A. Resing and Francis J. Sansone****1925
- Temporal and spatial variability of cobalt in the Atlantic Ocean—*Mak A. Saito and James W. Moffett****1943
- Experimental study of aluminum speciation in fluoride-rich supercritical fluids—*Boris Tagirov, Jacques Schott, Jean-Claude Harrichourry, and Stefano Salvi****2013

Vol. 66, No. 12, 2002

- Generation of mid-ocean ridge basalts at pressures from 1 to 7 GPa—*Dean C. Presnall, Gudmundur H. Gudfinnsson, and Michael J. Walter****2073
- Possible implications of modal mineralogy for melting in mantle lherzolites—*Robert W. Luth****2091
- Subsolidus and melting phase relations of basaltic composition in the uppermost lower mantle—*Kei Hirose and Yingwei Fei****2099
- Generation and differentiation of group II kimberlites: constraints from a high-pressure experimental study to 10 GPa—*Peter Ulmer and Russell J. Sweeney****2139
- Interpretation of trace element and isotope features of basalts: relevance of field relations, petrology, major element data, phase equilibria, and magma chamber modeling in basalt petrogenesis—*M.J. O'Hara and C. Herzberg****2167
- Source and H_2O content of high-MgO magmas in island arc settings: an experimental study of a primitive calc-alkaline basalt from St. Vincent, lesser antilles arc—*M. Pichavant, B.O. Mysen, and R. Macdonald****2193
- On bimodal differentiation by solidification front instability in basaltic magmas, part 1: basic mechanics—*Bruce D. Marsh****2211
- Experimental silicate mineral/melt partition coefficients for beryllium and the crustal Be cycle from migmatite to pegmatite—*Joseph M. Evensen and David London****2239
- Composition of aqueous fluid coexisting with mantle minerals at high pressure and its bearing on the differentiation of the Earth's mantle—*Kenji Mibe, Toshitsugu Fujii, and Atsushi Yasuda****2273
- Solubility behavior of alkali aluminosilicate components in aqueous fluids and silicate melts at high pressure and temperature—*Bjorn O. Mysen and Lora Armstrong****2287
- Low ^{18}O zircons, U-Pb dating, and the age of the Qinglongshan oxygen and hydrogen isotope anomaly near Donghai in Jiangsu Province, China—*Douglas Rumble, David Giorgis, Trevor Ireland, Zeming Zhang, Huifen Xu, T.F. Yui, Jingsui Yang, Zhiqin Xu, and J. G. Liou****2299

GEOCHEMISTRY INTERNATIONAL

Vol. 40, No. 6, 2002

- The age of the kyanite-sillimanite metamorphism of the southern Chuya Complex, Gornyi Altai: U-Pb isotopic dating of zircon—*A.V. Plotnikov, E.V. Bibikova, A.V. Titov, N.N. Kruk, and T.V. Gracheva****521
- Geochemistry of volatile components during metamorphic and migmatization processes. Part 2. Migmatized rocks of the Ol'khon Metamorphic Complex, Western Baikal Area—*T.P. Gantimurova, V.A. Makrygina, Z.I. Petrova, and V. Yu. Prokof'ev****531
- Magmatism in the central part of the Bransfield Strait spreading zone, Southern Ocean—*N.M. Sushchevskaya, G.B. Udintsev, B.V. Belyatskii, T.I. Tsekhonya, and N.A. Kurentsova****551
- Percolation of hydrothermal fluids through the rocks hosting the Iultin Deposit, Chukot Peninsula: Evidence from the oxygen isotopic composition and rock permeability—*M. Yu. Spasennykh, V.M. Shmonov, T.M. Sushchevskaya, and A.V. Ignat'ev****564
- Synthetic NaF-bearing fluid inclusions—*Z.A. Kotelnikova and A.R. Kotelnikov****594
- Experimental estimation of oxygen isotope fractionation between zircon and H_2O at 800–1200°C: Application to oxygen geothermometry—*D.P. Krylov, V.N. Zagnitko, and I.P. Lugovaya****618

GEOLOGICAL SOCIETY OF AMERICA BULLETIN

Vol. 114, No. 7, 2002

- Syndeositional thrust-related deformation and sedimentation in an Ancestral Rocky Mountains basin, Central Colorado trough, Colorado, USA—*Richard G. Hoy and Kenneth D. Ridgway****804
Evolution of the margin of the Gulf of California near Loreto, Baja California Peninsula, Mexico—*Paul J. Umhoefer, Larry Mayer, and Rebecca J. Dorsey****849
Numerical modeling of fluid flow and oxygen isotope exchange in the Notch Peak contact-metamorphic aureole, Utah—*Xiaojun Cui, Peter I. Nabelek, and Mian Liu****869

GEOLOGY

Vol. 30, No. 8, 2002

- Control of regional sea level by surface uplift and subsidence caused by magmatic underplating of Earth's crust—*John MacLennan and Bryan Lovell****675
Diamond nucleation and growth by reduction of carbonate melts under high-pressure and high-temperature conditions—*Makoto Arima, Yusuke Kozai, and Minoru Akaishi****691
Origin of high field strength element enrichment in the Sulu Arc, southern Philippines, revisited—*P.R. Castillo, R.U. Solidum, and R.S. Punongbayan****707
Scanning electron microscope–cathodoluminescence analysis of quartz reveals complex growth histories in veins from the Butte porphyry copper deposit, Montana—*Brian Rusk and Mark Reed****727
Suture-zone geometry along an irregular Paleoproterozoic margin: The Superior boundary zone, Manitoba, Canada—*D.J. White, S.B. Lucas, W. Bleeker, Z. Hajnal, J.F. Lewry, and H.V. Zwanzig****735
Subduction signature for quenched carbonatites from the deep lithosphere—*Esmé van Achterbergh, William L. Griffin, Chris G. Ryan, Suzanne Y. O'Reilly, Norman J. Pearson, Kevin Kivi, and Buddy J. Doyle****743
Origin of marine barite deposits: Sr and S isotope characterization—*Adina Paytan, Sarah Mearon, Kim Cobb, and Miriam Kastner****747
Precambrian lithospheric controls on the development of the East African rift system—*Andrew A. Nyblade and Richard A. Brazier****755
Fossil hydrothermal systems tracking Eocene climate change in Antarctica: Comment and Reply—*Peter Blattner****759
Are Proterozoic cap carbonates and isotopic excursions a record of gas hydrate destabilization following Earth's coldest intervals? Comment and Reply—*Russell S. Shapiro****761

GEOLOGY OF ORE DEPOSITS

Vol. 44, No. 3, 2002

- Disseminated gold–sulfide deposits in the Russian Northeast—*A.V. Volkov, A.A. Sidorov, V.I. Goncharov, and V.A. Sidorov****159
Tectonics and zonality of the Zgid Deposit (Northern Osetia, Russia)—*E.F. Bashkina****175
Mineralogy and genesis of “alluvial platinum”—from Placers of the Southern Koryak Highland (Russia)—*A.G. Mochalov, V.P. Zaitsev, A.N. Pertsev, and E.A. Vlasov****188
Postmagmatic mineral assemblages in rhyolites of the Dukat Volcano–Plutonic structure and their relation to ore mineralization—*L.G. Filimonova****213

GEOPHYSICAL JOURNAL INTERNATIONAL

Vol. 150, No. 1, 2002

- Characterization of cataclastic shear zones of the KTB deep drill hole by regression analysis of drill cuttings data—*H. Winter, S. Adelhardt, A. Jerak and H. Küchenhoff****1

- Preservation of a magnetization carried by magnetite-inclusions during amphibolite grade metamorphic conditions? An example from the Sarek Dykeswarm, Northern Swedish Caledonides —*E. Eneroth****65
- Crustal reflectivity near the Archaean-Proterozoic boundary in northern Sweden and implications for the tectonic evolution of the area—*C. Juhlin, S.-Å. Elming, C. Mellqvist, B. Öhlander, P. Weihed and A. Wikström****180
- LITH5.0: A revised crustal model for Canada based on LITHOPROBE results—*H.K.C. Perry, D.W.S. Eaton and A.M. Forte****285

GEOPHYSICAL RESEARCH LETTERS

Vol. 29, No. 11, 2002

- The influence of continental surface area on the assembly time for supercontinents—*Winston Tao and Gary T. Jarvis****13712
28 June 2002
- Genesis of mud volcanoes in sedimentary basins: A solitary wave-based mechanism—*A. Revil****14465
21 June 2002
- S, Cl and F degassing as an indicator of volcanic dynamics: The 2001 eruption of Mount Etna—*Alessandro Aiuppa,; Cinzia Federico,; Antonio Paonita,; Giovannella Pecoraino, and Mariano Valenza****15032,
15 June 2002
- Presence of sulfite (SIV) in arc magmas: Implications for volcanic sulfur emissions—*Nicole Métrich, Michelle Bonnin-Mosbah, Jean Susini, Bénédicte Menez, and Laurence Galois****14607
13 June 2002
- Seafloor hydrothermal systems driven by the serpentinization of peridotite—*R. P. Lowell and P. A. Rona****14411
12 June 2002
- Hydroacoustic monitoring of seismicity at the slow-spreading Mid-Atlantic Ridge—*Deborah K. Smith, Maya Tolstoy, Christopher G. Fox, DelWayne R. Bohnenstiehl, Haru Matsumoto, and Matthew J. Fowler****13912
11 June 2002
- Testing paleogeographic controls on a Neoproterozoic snowball Earth—*Christopher J.; Poulsen, Robert L.; Jacob, Raymond T Pierrehumbert,.; and Tran T. Huynh****14352
08 June 2002

GEOPHYSICS

Vol. 67, No. 3, 2002

- Self-potentials associated with the Yanacocha high-sulfidation gold deposit in Peru—*Mark Goldie****684

INTERNATIONAL JOURNAL OF MINERAL PROCESSING

Vol. 65, No. 2, 2002

- Characterization of a natural and an electro-oxidized arsenopyrite: A study on electrochemical and X-ray photoelectron spectroscopy—*M.C. Costa, A.M. Botelho do Rego, and L.M. Abrantes****83

INTERNATIONAL JOURNAL OF REMOTE SENSING

Vol. 23, No. 11, 2002

- Estimating sulphide ore grade in broken rock using visible/infrared hyperspectral reflectance spectra—*E.A. Gallie, S. McArdle, B. Rivard, et al.****2229
- Landscape modelling using integrated airborne multi-spectral and laser scanning data—*R.A. Hill, G.M. Smith, R.M. Fuller, et al.****2327

THE ISLAND ARC

Vol. 11, No. 2, 2002

Petrology of the greenstones of the Lower Sorachi Group in the Sorachi-Yezo Belt, central Hokkaido, Japan, with special reference to discrimination between oceanic plateau basalts and mid-oceanic ridge basalts—*T. Nagahashi and S. Miyashita****122

JOURNAL OF AFRICAN EARTH SCIENCES

Vol. 34, No. 1-2, 2002

Geology of the Mesozoic-Tertiary sedimentary basins in southwestern Somalia—*Ali Kassim M., L. Carmignani, P. Conti, and P.L. Fantozzi****3

Geological mapping in northeastern Somalia (Midjiurtinia region): Field evidence of the structural and paleogeographic evolution of the northern margin of the Somalian plate—*P.L. Fantozzi and Ali Kassim M.* ***21

The tectonostratigraphy, granitoid geochronology and geological evolution of the Precambrian of southern Ethiopia—*B. Yibas, W.U. Reimold, R. Armstrong, C. Koeberl, C.R. Anhaeusser, and D. Phillips****57

Structural evidence for the allochthonous nature of the Bulbul terrane in southern Ethiopia: A west-verging thrust nappe—*Tadesse Yihunie and Melaku Tesfaye****85

JOURNAL OF APPLIED GEOPHYSICS

Vol. 49, No. 4, 2002

The use of GPR for characterizing underground weathered profiles in the sub-humid tropics—*Paulo Roberto Antunes Aranha, Cristina Helena Ribeiro Rocha Augustin, and Frederico Garcia Sobreira****195

JOURNAL OF GEOCHEMICAL EXPLORATION

Vol. 76, No. 1, 2002

Geochemical stream sediment survey in Winder Valley, Balochistan, Pakistan—*Shahid Naseem, Shamim Ahmed Sheikh, M. Qadeeruddin, and Khaula Shirin****1

Arsenic distribution during formation and capping of an oxidised sulphidic minesoil, Macraes mine, New Zealand-29—*D. Craw, P.O. Koons, and D.A. Chappell****13

Geochemical signature of historical mining: Fowey Estuary, Cornwall, UK—*Duncan Pirrie, Matthew R. Power, Paul D. Wheeler, Andy Cundy, Colin Bridges, and Graham Davey****31

Apatite as an indicator mineral for mineral exploration: trace-element compositions and their relationship to host rock type—*E.A. Belousova, W.L. Griffin, Suzanne Y. O'Reilly and N.I. Fisher****45

JOURNAL OF GEODYNAMICS

Vol. 34, No. 2, 2002

Special Issue on Superplumes—*Kent C. Condie, Dallas Abbott, and David J. Des Marais****159

The Mississippi Embayment, North America: a first order continental structure generated by the Cretaceous superplume mantle event—*Randel Tom Cox and Roy B. Van Arsdale****163

The biogeochemical consequences of the mid-Cretaceous superplume—*A. Hope Jahren****177

Late Archaean superplume events: A Kaapvaal-Pilbara perspective—*P.G. Eriksson, K.C. Condie, W. van der Westhuizen, R. van der Merwe, H. de Bruijn, D.R. Nelson, W. Altermann, O. Catuneanu, A.J. Bumby, J. Lindsay and M.J. Cunningham****207

Continental growth during a 1.9-Ga superplume event—*Kent C. Condie****249

INTERESTING PAPERS IN OTHER JOURNALS VOL. 97-6

The intensity, occurrence, and duration of superplume events and eras over geological time—*Dallas H. Abbott and Ann E. Isley****265

Maximum size and distribution in time and space of mantle plumes: evidence from large igneous provinces—*Richard E. Ernst and Kenneth L. Buchan****309

JOURNAL OF GEOLOGY

Vol. 110, No. 4, 2002

Modern sand from obducted ophiolite belts (Sultanate of Oman and United Arab Emirates)—*Eduardo Garzanti, Giovanni Vezzoli, and Sergio Andò****371

Age and provenance of the Beardmore Group, Antarctica: Constraints on Rodinia Supercontinent Breakup—*J. W. Goodge, P. Myrow, I. S. Williams, and S. A. Bowring****393

Geochemistry of the neoproterozoic metasedimentary Gamble Brook Formation, Avalon Terrane, Nova Scotia: Evidence for a rifted-arc environment along the West Gondwanan Margin of Rodinia—*J. Brendan Murphy****407

Timing of synorogenic granitoids in the South Qinling, Central China: Constraints on the evolution of the Qinling-Dabie orogenic belt—*Weidong Sun, Shuguang Li, Yadong Chen, and Yujing Li****457

JOURNAL OF GEOPHYSICAL RESEARCH

Vol. 107, No. B6, 2002

Half graben versus large-offset low-angle normal fault: Importance of keeping cool during normal faulting—*Luc L. Lavier and W. Roger Buck****513

Fluid generation and pathways beneath an active compressional orogen, the New Zealand Southern Alps, inferred from magnetotelluric data—*Philip E. Wannamaker, George R. Jiracek, John A. Stodt, T. Grant Caldwell, Victor M. Gonzalez, J. Donald McKnight, and Allen D. Porter****186

Volcanic eruptions on mid-ocean ridges: New evidence from the superfast spreading East Pacific Rise, 17°–19°S—*John Sinton, Eric Bergmanis, Ken Rubin, Rodey Batiza, Tracy K.P. Gregg, Karl Grönvold, Ken C. Macdonald, and Scott M. White****90,

Temporal variations of the segmentation of slow to intermediate spreading mid-ocean ridges 2. A three-dimensional model in terms of lithosphere accretion and convection within the partially molten mantle beneath the ridge axis—*Michel Rabinowicz and Anne Briaud****343

JOURNAL OF METAMORPHIC GEOLOGY

Vol. 20, No. 6, 2002

K-rich fluid metasomatism at high-pressure metamorphic conditions: lawsonite decomposition in rodingitized ultramafite of the Maksyutovo Complex, Southern Urals (Russia)—*B. Schulte and S. Sindern****529

Prograde pressure-temperature paths in the pelitic schists of the Sambagawa metamorphic belt, SW Japan—*M. Inui and M. Toriumi****563

JOURNAL OF PETROLOGY

Vol. 43, No. 6, 2002

Petrogenesis of the anorthosite dyke swarm of Tromsø, North Norway: Experimental evidence for hydrous anatexis of an alkaline mafic complex—*Rune S. Selbekk and Kjell P. Skjerlie****943

Lamproites from Gaussberg, Antarctica: Possible transition zone melts of archaean subducted sediments—*D.T. Murphy, K.D. Collerson, and B.S. Kamber****981

Cordierite and leucogranite formation during emplacement of highly peraluminous magma: the El Pílon Granite Complex (Sierras Pampeanas, Argentina)—*C.W. Rapela, E.G. Baldo, R.J. Pankhurst, and J. Saavedra****1003

INTERESTING PAPERS IN OTHER JOURNALS VOL. 97-6

- Remelting of an andesitic crust as a possible origin for rhyolitic magma in oceanic arcs: An example from the Izu–Bonin Arc—*Yoshihiko Tamura and Yoshiyuki Tatsumi****1029
- The sulfide capacity and the sulfur content at sulfide saturation of silicate melts at 1400°C and 1 bar—*Hugh St. C. O'Neill and John A. Mavrogenes* ***1049

JOURNAL OF SOUTH AMERICAN EARTH SCIENCES

Vol. 15, No. 2, 2002

- Wide plate margin deformation, southern Central America and northwestern South America, CASA GPS observations—*Robert Trenkamp, James N. Kellogg, Jeffrey T. Freymueller, and Hector P. Mora****157
- Rb-Sr and Sm-Nd isotopic study of the Puquí complex, Colombian Andes—*Oswaldo Ordóñez Carmona and Márcio M. Pimentel****173
- Mesozoic and Cenozoic igneous activity and its tectonic control in northeastern Brazil—*A.M.P. Mizusaki, A. Thomaz-Filho, E.J. Milani, and P. de Césero****183
- Petrology of spinel peridotite xenoliths from northeastern Brazil: lithosphere with a high geothermal gradient imparted by Fernando de Noronha plume—*R.V. Fodor, A.N. Sial, and G. Gandhok****199
- The geochemistry of the Barra do Itapirapuã carbonatite (Ponta Grossa Arch, Brazil): a multiple stockwork—*E. Ruberti, F. Castorina, P. Censi, P. Comin-Chiaramonti, C.B. Gomes, P. Antonini, and F.R.D. Andrade* ***215
- Zircon and titanite U-Pb SHRIMP geochronology of Neoproterozoic felsic magmatism on the eastern border of the Rio de la Plata Craton, Uruguay—*Léo A. Hartmann, João Orestes S. Santos, Jorge Bossi, Néstor Campal, Alejandro Schipilov, and Neal J. McNaughton* ***229
- New isotopic dating of intrusive rocks in the Sierra de San Luis (Argentina): implications for the geodynamic history of the Eastern Sierras Pampeanas—*W. von Gosen, W. Loske, and C. Prozzi****237
- Nearly circular plutons emplaced by stoping at shallow crustal levels, Cerro Aspero batholith, Sierras Pampeanas de Córdoba, Argentina—*L.P. Pinotti, J.E. Coniglio, A.M. Esparza, F.J. D'Eramo, and E.J. Llambías****251
- SHRIMP zircon U-Pb evidence for extended Mesozoic magmatism in the Patagonian Batholith and assimilation of Archean crustal components—*A.P. Rolando, L.A. Hartmann, J.O.S. Santos, R.R. Fernandez, R.O. Etcheverry, I.A. Schalamuk, and N.J. McNaughton* ***267

JOURNAL OF STRUCTURAL GEOLOGY

Vol. 24, No. 8, 2002

- Progressive localisation of strain during the evolution of a normal fault population—*V. Meyer, A. Nicol, C. Childs, J.J. Walsh, and J. Watterson****1215
- Oxygen isotope record of fluid-rock-SiO₂ interaction during Variscan progressive deformation and quartz veining in the meta-volcanosediments of Belle-Ile (Southern Brittany)—*Bernhard Schulz, Claude Audren, and Claude Triboulet****1281
- Quartz c-axis texture mapping of a Variscan regional foliation (Malpica-Tui Unit, NW Spain)—*Sergio Llana-Fúnez* ***1299

JOURNAL OF THE GEOLOGICAL SOCIETY OF INDIA

Vol. 59, No. 5, 2002

- Production of 'By-product' gold in India—*B.P. Radhakrishna****391
- Discovery of the uraniferous polymetallic veins in the gneisses of Chhota-Udaipur, Ajmer District, Rajasthan—*D.K. Sinha, Sohail Fahmi, B.C. Sarkar, and M.K. Roy****469
- Sedimentology and molybdenum potential of the Beaufort Group in the Main Karoo Basin, South Africa—*R. Dhana Raju****477

Vol. 59, No. 6, 2002

- Discrete selenide phases from the uraniferous mahadek sandstones of Domiasiat and Wahkyn South, West Khasi Hills district, Meghalaya—*E.V.S.S.K. Babu, S. Nayak, A.K. Rai, P. Krishnamurthy, & S.N. Kak****571

JOURNAL OF VOLCANOLOGY AND GEOTHERMAL RESEARCH

Vol. 115, No. 1-2, 2002

- The silica heat flow interpretation technique: application to continental Australia—*M.C. Pirlo****19
Temperature distribution inside and around a lava tube—*Michele Dragoni, Francesca D'Onza, and Andrea Tallarico****43
Ohaaki reservoir chemistry: characteristics of an arc-type hydrothermal system in the Taupo Volcanic Zone, New Zealand—*B.W. Christenson, E.K. Mroczek, B.M. Kennedy, M.C. van Soest, M.K. Stewart, and G. Lyon****53
High-resolution aeromagnetic mapping of volcanic terrain, Yellowstone National Park—*Carol A. Finn and Lisa A. Morgan****207

LITHOS

Vol. 62, No. 1-2, 2002

- Empirical garnet-muscovite geothermometry in metapelites—*Chun-Ming Wu, Xin-She Wang, Chong-Hui Yang, Yuan-Sheng Geng, and Fu-Lai Liu****1
Burbankite group minerals and their alteration in rare earth carbonatites-source of elements and fluids (evidence from C-O and Sr-Nd isotopic data)—*A.N. Zaitsev, A. Demény, S. Sindern, and F. Wall****15
Mineralogical and geochemical constraints for the origin and evolution of magmas in Sierra Chichinautzin, Central Mexican Volcanic Belt—*Alvaro Márquez and Cristina De Ignacio****35

Vol. 62, No. 3-4, 2002

- Slab breakoff: A model for Caledonian, Late Granite syn-collisional magmatism in the orthotectonic (metamorphic) zone of Scotland and Donegal, Ireland—*M.P. Atherton and A.A. Ghani****65
Post-collisional transition from calc-alkaline to alkaline volcanism during the Neogene in Oranie (Algeria): magmatic expression of a slab breakoff—*Christian Coulon, M'hamed Megartsi, Serge Fourcade, René C. Maury, Hervé Bellon, Amina Louni-Hacini, Joseph Cotten, Alain Coutelle, and Daniel Hermitte****87
Continental crust and lithospheric mantle interaction beneath North China: isotopic evidence from granulite xenoliths in Hannuoba, Sino-Korean craton—*Xinhua Zhou, Min Sun, Guohui Zhang, and Shaohai Chen****111
Two-mica and tourmaline leucogranites from the Everest-Makalu region (Nepal-Tibet). Himalayan leucogranite genesis by isobaric heating?—*Dario Visonà and Bruno Lombardo****125

LITHOLOGY AND MINERAL RESOURCES

Vol. 37, No. 4, 2002

- Mud volcanoes: Distribution regularities and genesis—*V. N. Kholodov****293
The early cretaceous anoxic basin of the Russian Plate: Sedimentology and geochemistry—*Yu. O. Gavrilov, E.V. Shchepetova, E. Yu. Baraboshkin, and E.A. Shcherbinina****310
Isotopic composition (^{13}C , ^{18}O) and origin of manganese carbonate ores of the Usa Deposit (Kuznetskii Alatau)—*V.N. Kuleshov and A.F. Bych****330
Structure and composition of ferromanganese-phosphate nodules from the Black Sea—*G.N. Baturin, A.I. Gorshkov, L.O. Magazina, and O.Yu. Bogdanova****374

MARINE GEOLOGY

Vol. 185, No. 3-4, 2002

- Towed-camera investigations of shallow-intermediate water-depth submarine stratovolcanoes of the southern Kermadec arc, New Zealand—*I.C. Wright, P. Stoffers, M. Hannington, C.E.J. de Ronde, P. Herzig, I. E. M. Smith, and P.R.L. Browne****207
The Makran accretionary wedge: sediment thicknesses and ages and the origin of mud volcanoes—*H.U. Schlüter, A. Prexl, Ch. Gaedicke, H. Roeser, Ch. Reichert, H. Meyer, and C. von Daniels****219

INTERESTING PAPERS IN OTHER JOURNALS VOL. 97-6

- Lagoonal facies, ages, and sedimentation in three atolls in the Pacific—*Hiroya Yamano, Hajime Kayanne, Fumiaki Matsuda, and Yoshihiro Tsuji****233
- The Magdalena Turbidite System (Caribbean Sea): present-day morphology and architecture model—*Gemma Ercilla, Belén Alonso, Ferran Estrada, Francesco L. Chiocci, Jesús Baraza, and Marcel. li Farran****303
- Sedimentary pyrite formation in the Arabian Sea—*S.J. Schenau, H.F. Passier, G.J. Reichart, and G.J. de Lange****393

MATHEMATICAL GEOLOGY

Vol. 34, No 5, 2002

- Kriging of regionalized directions, axes, and orientations I. Directions and axes—*K. Gerald van den Boogaart and Helmut Schaeben****479
- A statistical approach to geological mapping—*J.K. Ghosh, J. Bhanja, S. Purkayastha, T. Samanta, and S. Sengupta****505

MINERALOGICAL MAGAZINE

Vol. 66, No 3, 2002

- High-Ti magnetite in some fine-grained carbonatites and the magmatic implications—*D.K. Bailey and S. Kearns****379
- Mineralogy of complex Co-Ni-Bi vein mineralization, Bieber deposit, Spessart, Germany—*T. Wagner and J. Lorenz****385
- Nature and mechanism of ilmenite alteration: a Mossbauer and X-ray diffraction study of oxidized ilmenite from the Beja-Acebuches Ophiolite Complex (SE Portugal)—*J.C. Waerenborgh, J. Figueiras, A. Mateus and M. Gonçalves****421
- Hoganite and paceite, two new acetate minerals from the Potosi mine, Broken Hill, Australia—*D.E. Hibbs, U. Kolitsch, P. Leverett, J.L. Sharpe and P.A. Williams****459

MINERALOGY AND PETROLOGY

Vol. 75, No 3-4, 2002

- Rare earth elements in three fluorites: graphical comparison of data and model Comment—*T.P. Hutchinson****243
- Reply to the comment "Rare earth elements in three fluorites: graphical comparison of data and model" by T. P. Hutchinson—*T. Monecke, J. Monecke, W. Mönch, and U. Kempe****261

NATURAL RESOURCES RESEARCH

Vol. 11, No 2, 2002

- Study of the natural gas hydrate "trap zone" and the methane hydrate potential in the Sverdrup Basin, Canada—*J.A. Majorowicz, P.K. Hannigan, and K.G. Osadetz****79
- A new model for heat flow in extensional basins: Estimating radiogenic heat production—*Douglas W. Waples****125
- Neural network-based estimation of principal metal contents in the Hokuroku District, Northern Japan, for exploring kuroko-type deposits—*Katsuaki Koike, Setsuro Matsuda, Toru Suzuki, and Michito Ohmi****135

NATURE

Vol. 418, No. 6894, 2002

- A satellite geodetic survey of large-scale deformation of volcanic centres in the central Andes—*Matthew E. Pritchard and Mark Simons****167

INTERESTING PAPERS IN OTHER JOURNALS VOL. 97-6

Vol. 418, No. 6896, 2002

Tungsten isotope evidence from 3.8-Gyr metamorphosed sediments for early meteorite bombardment of the Earth—*Ronny Schoenberg, Balz S. Kamber, Kenneth D. Collerson & Stephen Moorbath****403

NEUES JAHRBUCH FÜR MINERALOGIE – ABHANDLUNGEN

Vol. 177, No 2, 2002

Mineralogy, chemistry and origin of halloysite, kaolinite and smectite from Miocene ignimbrites, Konya, Turkey—*Selahattin Kadir and Zehra Karaka****113

The source of Cenozoic volcanism in the eské stedohí Mts., Bohemian Massif—*J. Ulrych, J. Svobodová, and K. Balogh****133

Teallite from Radvanice near Trutnov (Czech Republic)—*J. Sejkora, P. Berlepsch, E. Makovicky, T. Bali-uni, and J. Litochleb****163

Complex compositional zoning in epidote from rhyodacitic tuff, Bobae sericite deposit, southeastern Korea—*C. O. Choo****181

NEUES JAHRBUCH FÜR MINERALOGIE - MONATSHEFTE

No 6, 2002

Crystal and absolute structure of enargite from Bor (Serbia)—*Lj. Karanovi, Lj. Cvetkovi, D. Poleti, T. Bali-uni, and E. Makovicky****241

Single crystal synthesis of the phases $\text{Bi}_{2+x}\text{Pb}_{3-x}\text{Cu}_x\text{S}_{6+x}$ and $\text{Cu}_{3-x}\text{Bi}_5-x\text{Pb}_2\text{S}_9$ in the temperature gradient. Solid solutions in the system Bi_2S_3 - PbS - Cu_2S —*Konstantin Mariolacos****265

Isothermal phase relations in the Au-Sb-Te system at 350 °C—*Y. Nakamura and K. Ikeda****276

NEW ZEALAND JOURNAL OF GEOLOGY AND GEOPHYSICS

Vol. 45, No 2, 2002

Lithology, geochemistry and structure of Moke Creek sulphide deposit host rocks, Otago Schist, New Zealand—*Anton Barber and Dave Crav****193

The Siberia Fault Zone, northwest Otago, and kinematics of mid-Cenozoic plate boundary deformation in southern New Zealand—*S. R. White****271

PHYSICS AND CHEMISTRY OF MINERALS

Vol. 29, No. 5, 2002

Dehydration dynamics of Ba-phillipsite: An in situ synchrotron powder diffraction study—*A. Sani, G. Cruciani, and A. F. Gualtieri****351

Vol. 29, No. 6, 2002

Isothermal annealing of partially metamict zircon: Evidence for a three-stage recovery process—*T. Geisler****420

PRECAMBRIAN RESEARCH

Vol. 116, No. 1-2, 2002

U-Pb geochronological constraints on the timing of Brioverian sedimentation and regional deformation in the St. Brieuc region of the Neoproterozoic Cadomian orogen, northern France—*Elizabeth A. Nagy, Scott D. Samson, and Richard S. D'Lemos****1

- Shear-zone patterns and eclogite-facies metamorphism in the Mozambique belt of northern Malawi, east-central Africa: Implications for the assembly of Gondwana—*Uwe Ring, Alfred Kröner, Robert Buchwaldt, Theofilos Toulkeridis, and Paul W. Layer****19
- Testing the model of late Archean terrane accretion in southern West Greenland: A comparison of the timing of geological events across the Qarliit nunaat fault, Buksefjorden region—*J. L. Crowley****57
- Contrasting source components of the Paleoproterozoic Svecofennian metasediments: Detrital zircon U-Pb, Sm-Nd and geochemical data—*Raimo Lahtinen, Hannu Huhma, and Jukka Kousa****81
- Svecofennian magmatic and metamorphic evolution in southwestern Finland as revealed by U-Pb zircon SIMS geochronology—*Markku Väisänen, Irmeli Mänttari, and Pentti Hölttä****111
- Regional correlation of Mesoproterozoic structures and deformational events in the Albany-Fraser orogen, Western Australia—*Ernest M. Duebendorfer****129

Vol. 116, No. 3-4, 2002

- Late Palaeoproterozoic monazite and titanite U-Pb ages in the Archaean Suomujärvi Complex, N-Finland—*Fernando Corfu and Paul M. Evins****171
- B-Na rich Palaeoproterozoic Aravalli metasediments of evaporitic association, NW India: A new repository of gold mineralization—*P.R. Golani, M.K. Pandit, A.N. Sial, A.E. Fallick, V.P. Ferreira, and A.B. Roy****183
- Geology and geodynamic setting of Archaean silicic metavolcaniclastic rocks of the Bien Venue Formation, Fig Tree Group, northeast Barberton greenstone belt, South Africa—*E.A. Kohler and C.R. Anhaeusser****199
- U-Pb geochronology and geochemistry of early Proterozoic rocks of the tectonic basement windows in central Nordland, Caledonides of north-central Norway—*Øyvind Skår****265
- Geology and Geochronology of the Suomujärvi Complex: A new Archaean gneiss region in the NE Baltic Shield, Finland—*Paul M. Evins, Joakim Mansfeld, and Kauko Laajoki****285

RESOURCE GEOLOGY

Vol. 52, No 1, 2002

- Mid-cretaceous episodic magmatism and tin mineralization in Khingan-Okhotsk Volcano-Plutonic Belt, Far East Russia—*Kohei Sato, Anatoly A. Vrublevsky, Sergei M. Rodionov, Nikolai P. Romanovsky, and Munetomo Nedachi****1
- Dashuigou tellurium deposit in Sichuan Province, China: S, C, O, and H isotope data and their implications on hydrothermal mineralization—*Jingwen Mao, Yitian Wang, Tiping Ding, Yuchuan Chen, Jiaxiu Wei, and Jianzhao Yin****15
- Mineralogy, geochemistry, and age constraints on the Beni Bou Ifrou Skarn Type Magnetite Deposit, northeastern Morocco—*Mohammed El Rhazi and Ken-ichiro Hayashi****25
- Sulfur content and isotopic ratio of cambro-ordovician carbonate rocks from South Korea: A possible source for mesozoic magmatic-hydrothermal ore sulfur—*Shunso Ishihara, Myung-Shik Jin, and Yoshimichi Kajiwara****41
- Geochemical investigations of stratabound gunga barite deposits of Khuzdar (Balochistan), Pakistan—*Viqar Husain, Hameedullah Khan, Klaus Germann, and Karel Zak****49
- Biogeochemical prospecting of sulphide minerals in Winder Valley, Balochistan, Pakistan—*Shahid Naseem and Shamim Ahmed Sheikh****59
- Cu-Fe bearing zinc sulfide from Laloki Stratabound Massive Sulfide Deposit, Papua New Guinea: Chemical characterization—*Banda J. Kulange, Yoshimichi Kajiwara, and Kosei Komuro****67
- A fluid inclusion study on columnar adularia from the Hishikari Low-sulfidation Epithermal Gold Deposit, Japan—*Jiro Etoh, Eiji Izawa, and Sachihito Taguchi****73

SCIENCE

Vol. 296, No. 5576, 2002

- Insights into collisional magmatism from isotopic fingerprints of melting reactions—*Kurt M. Knesel and Jon P. Davidson****2206

SEDIMENTARY GEOLOGY

Vol. 150, No. 3-4, 2002

- Paleogene island arc collision-related conglomerates, Yarlung-Tsangpo suture zone, Tibet—*Aileen M. Davis, Jonathan C. Aitchison, Badengzhu, Hui Luo, and Sergei Zyabrev****247
- Environmental response to a large, explosive rhyolite eruption: sedimentology of post-1.8 ka pumice-rich Taupo volcaniclastics in the Hawke's Bay region, New Zealand—*B. Segsneider, C.A. Landis, V. Manville, J.D.L. White, and C.J.N. Wilson****275
- Cathodoluminescence of authigenic albite—*Detlev K. Richter, Thomas Götte, and Dirk Habermann****367

Vol. 151, No. 1-2, 2002

- Geochemistry of Archean carbonaceous cherts deposited at immature island-arc setting in the Pilbara Block, Western Australia—*Kenichiro Sugitani, Koshi Yamamoto, Hideki Wada, S.S. Binu-Lal, and Masakazu Yoneshige****45
- Unroofing history of Late Paleozoic magmatic arcs within the "Turan Plate" (Tuarkyr, Turkmenistan)—*E. Garzanti and M. Gaetani****67
- Dolomitization and silicification in low-energy lacustrine carbonates (Paleogene, Madrid Basin, Spain)—*M.A. Bustillo, M.E. Arribas, and M. Bustillo****107
- Geochemical trends and palaeohydrological significance of shallow burial calcite and ankerite cements in Middle Jurassic strata on the East Midlands Shelf (onshore UK)—*James P. Hendry****149

TECTONICS

Vol. 21, No. 3, 2002

- Archean granite-greenstone tectonics at Kolar (South India): Interplay of diapirism and bulk inhomogeneous contraction during juvenile magmatic accretion—*Dominique Chardon, Jean-Jacques Peucat, Mudlappa Jayananda, Pierre Choukroune, and C. Mark Fanning****1032
- Back arc extension, tectonic inheritance, and volcanism in the Ligurian Sea, Western Mediterranean—*Nadège Rollet, Jacques Déverchère, Marie-Odile Beslier, Pol Guennoc, Jean-Pierre Réhault, Marc Sosson, and Catherine Truffert****27
- Stress direction history of the western United States and Mexico since 85 Ma—*Peter Bird****1319
- Caltepec fault zone: An Early Permian dextral transpressional boundary between the Proterozoic Oaxacan and Paleozoic Acatlán complexes, southern Mexico, and regional tectonic implications—*Mariano Elías-Herrera and Fernando Ortega-Gutiérrez****1278

TECTONOPHYSICS

Vol. 348, No. 4, 2002

- Geodynamic evolution of southern Costa Rica related to low-angle subduction of the Cocos Ridge: Constraints from thermochronology—*K. Gräfe, W. Frisch, I.M. Villa, and M. Meschede****187
- Magma-induced strain localization in centrifuge models of transfer zones—*Giacomo Corti, Marco Bonini, Francesco Mazzarini, Mario Boccaletti, Fabrizio Innocenti, Piero Manetti, Genene Mulugeta, and Dimitrios Sokoutis****205
- The role of dextral transpressional faulting in the evolution of an early Carboniferous mafic-felsic plutonic and volcanic complex: Cobequid Highlands, Nova Scotia, Canada—*Ioannis Koukouvelas, Georgia Pe-Piper, and David J.W. Piper****219

Vol. 349, No. 1-4, 2002

- Special Issue on Low temperature thermochronology: from tectonics to landscape evolution—*Barry P. Kohn and Paul F. Green****1
- Fission track thermotectonic imaging of the Australian continent—*A.J.W. Gleadow, B.P. Kohn, R.W. Brown, P.B. O'Sullivan, and A. Raza****5
- Low-temperature thermochronological record of exhumation of the Bitterroot metamorphic core complex, northern Cordilleran Orogen—*David A. Foster and Asaf Raza****23

- Late Cretaceous reactivation of major crustal shear zones in northern Namibia: constraints from apatite fission track analysis—*Matthias J. Raab, Roderick W. Brown, Kerry Gallagher, Andrew Carter, and Klaus Weber****75
- Thermal history of Canadian Williston basin from apatite fission-track thermochronology-implications for petroleum systems and geodynamic history—*K.G. Osadetz, B.P. Kohn, S. Feinstein, and P.B. O'Sullivan****221
- The thermal history of the eastern Officer Basin (South Australia): evidence from apatite fission track analysis and organic maturity data—*Peter R. Tingate and Ian R. Duddy****251
- Evaluating thermal history models for the Otway Basin, southeastern Australia, using (U-Th)/He and fission-track data from borehole apatites—*M.A. House, B.P. Kohn, K.A. Farley, and A. Raza****277
- He diffusion and (U-Th)/He thermochronometry of zircon: Initial results from Fish Canyon Tuff and Gold Butte—*Peter W. Reiners, Kenneth A. Farley, and Hunter J. Hickey****297
- Post-orogenic (<1500 Ma) thermal history of the Palaeo-Mesoproterozoic, Mt. Isa province, NE Australia—*R.A. Spikings, D.A. Foster, B.P. Kohn, and G.S. Lister****327

TERRA NOVA

Vol. 14, No. 3, 2002

- The snowball Earth hypothesis: testing the limits of global change—*P.F. Hoffman and D.P. Schrag****129
- The transition from rifting to sea-floor spreading within a magma-poor rifted margin: field and isotopic constraints—*U. Schaltegger, L. Desmurs, G. Manatschal, O. Müntener, M. Meier, M. Frank and D. Bernoulli****156
- Dolomites in the Tazekka Pb-Zn district, Eastern Morocco: Polyphase origin from hydrothermal fluids—*J. Auajjar and J. Boulègue****175
- Estimating exhumation rate and relief evolution by spectral analysis of age-elevation datasets—*J. Braun****210