

INTERESTING PAPERS IN OTHER JOURNALS
Volume 99-3

ECONOMIC GEOLOGY prints partial tables of contents of a number of journals as an information service. *Please do not write to us to obtain copies of the journals or papers.* If you cannot arrange to get copies of interesting papers through your normal library sources, please contact the offices of the individual journals for assistance. Where possible, their U.S. addresses are given. Addresses are listed in Vol. 99, No. 1.

AAPG BULLETIN

Vol. 88, No. 2, 2004

Chemical bleaching indicates episodes of fluid flow in deformation bands in sandstone—*W.T. Parry, Marjorie A. Chan, and Brenda Beitler***175*

Origin of overpressures in shales: Constraints from basin modeling—*Hege M. Nordgård Bolås, Christian Hermanrud, and Gunn M.G. Teige***193*

Vol. 88, No. 4, 2004

Tectonics and hydrocarbon systems of the East Gobi basin, Mongolia—*G.L. Prost***483*

AMERICAN JOURNAL OF SCIENCE

Vol. 303, No. 10, 2003

Chemostratigraphy of carbonates from the Minas Supergroup, Quadrilátero Ferrífero (Iron Quadrangle), Brazil: A stratigraphic record of Early Proterozoic atmospheric, biogeochemical and climactic change—*A. Bekker, A.N. Sial, J.A. Karhu, V.P. Ferreira, C.M. Noce, A.J. Kaufman, A.W. Romano, and M.M. Pimentel***865*

Vol. 304, No. 1, 2004

Regional stratigraphy of the Zagros fold-thrust belt of Iran and its proforeland evolution—*Mehdi Alavi***1*
Chromium geochemistry in serpentinized ultramafic rocks and serpentine soils from the Franciscan complex of California—*Christopher Oze, Scott Fendorf, Dennis K. Bird, and Robert G. Coleman***67*

Vol. 304, No. 2, 2004

Late Jurassic to Eocene evolution of the Cordillera thrust belt and foreland basin system, western U.S.A.—*P.G. DeCelles***105*

Origin of magnetite- and ilmenite-series granitic rocks in the Japan Arc—*Tetsuichi Takagi***169*

AMERICAN MINERALOGIST

Vol. 89, No. 2-3, 2004

The speciation of dissolved H₂O in dacitic melt—*Yang Liu, Harald Behrens and Youxue Zhang***277*
Experimental determination of siderite stability and application to Martian Meteorite ALH84001—*Andrea M. Koziol***294*

Spriggite, Pb₃[(UO₂)₆O₈(OH)₂](H₂O)₃, a new mineral with β-U₃O₈-type sheets: Description and crystal structure—*Joël Brugger, Sergey V. Krivovichev, Peter Berlepsch, Nicolas Meisser, Stefan Ansermet, and Thomas Armbruster***339*

Single crystal raman spectroscopy of cerussite—*Wayde N. Martens, Llew Rintoul, J. Theo Klopogge, and Ray L. Frost***352*

Epitaxial relationships of clinopyroxene-hosted magnetite determined using electron backscatter diffraction (EBSD) technique—*Joshua M. Feinberg, Hans-Rudolf Wenk, Paul R. Renne, and Gary R. Scott***462*

ANNUAL REVIEW OF EARTH AND PLANETARY SCIENCES

Vol. 32, 2004

- Evolution of the North American cordillera—*William R. Dickinson****13
- Biogenic manganese oxides: Properties and mechanisms of formation—*Bradley M. Tebo, John R. Bargar, Brian G. Clement, Gregory J. Dick, Karen J. Murray, Dorothy Parker, Rebecca Verity, and Samuel M. Webb****287
- Influence of the Mendocino Triple Junction on the tectonics of coastal California—*Kevin P. Furlong and Susan Y. Schwartz****403
- Transition metal sulfides and the origins of metabolism—*George Cody****569

APPLIED CLAY SCIENCE

Vol. 24, No. 3-4, 2004

- Monazite alteration mechanisms and depletion measurements in kaolins—*D. Papoulis, P. Tsolis-Katagas, and C. Katagas****271
- Deposition of volcanogenic smectite along the southeastern Neo-Tethys margin during the oceanic convergence stage—*S. Shoval****299

APPLIED GEOCHEMISTRY

Vol. 19, No. 3, 2004

- Light rare earth elements enrichment in an acidic mine lake (Lusatia, Germany)—*Elke Bozau, Marc Leblanc, Jean Luc Seidel, and Hans-Joachim Stärk****261
- $^{207}\text{Pb}/^{206}\text{Pb}$ and $^{238}\text{U}/^{230}\text{Th}$ dating of uranium migration in carbonate fractures from the Palmottu uranium ore (southern Finland)—*C. Pomiès, B. Hamelin, J. Lancelot, and R. Blomqvist****273
- The application of ICP-MS methods to tephrochronological problems—*Nicholas J.G. Pearce, John A. Westgate, William T. Perkins, and Shari J. Preece****289
- Geological and anthropogenic factors influencing mercury speciation in mine wastes: An EXAFS spectroscopy study—*Christopher S. Kim, James J. Rytuba, and Gordon E. Brown, Jr.****379
- Past and present circulation of CO₂-bearing fluids in the crystalline Gran Paradiso Massif (Orco Valley, north-western Italian Alps): Tectonic and geochemical constraints—*E. Sacchi, A. Dematteis, and P. Rossetti****395
- A kinetic study of the oxidation of arsenopyrite in acidic solutions: Implications for the environment—*Yu Yunmei, Zhu Yongxuan, A.E. Williams-Jones, Gao Zhenmin, and Li Dexian****435
- Major ion chemistry of groundwater from perched-water bodies of the Azores (Portugal) volcanic archipelago—*J. Virgilio Cruz and Catarina S. Amaral****445
- Occurrence of native selenium in Yutangba and its environmental implications—*Jianming Zhu, Wei Zuo, Xiaobing Liang, Shehong Li, and Baoshan Zheng****461

AQUATIC GEOCHEMISTRY

Vol. 9, No. 2, 2003,

- Iron and sulfur chemistry in a stratified lake: Evidence for iron-rich sulfide complexes—*George W. Luther, III, Brian Glazer, Shufen Ma, Robert Trouwborst, Bradley R. Shultz, Gregory Druschel, and Charoenwan Kraiya****87

ATLANTIC GEOLOGY

Vol. 39, No. 1, 2003

$^{40}\text{Ar}/^{39}\text{Ar}$ age of the Jurassic North Mountain Basalt, southwestern Nova Scotia—*Daniel J. Kontak and Douglas A. Archibald****47

Age and geochemistry of Late Neoproterozoic and Early Cambrian igneous rocks in southern New Brunswick: Similarities and contrasts—*Sandra M. Barr, Chris E. White, and Brent V. Miller****55

AUSTRALIAN JOURNAL OF EARTH SCIENCES

Vol. 51, No. 1, 2004

Geochronological constraints on the polymetamorphic evolution of the granulite-hosted Challenger gold deposit: Implications for assembly of the northwest Gawler Craton—*A.G. Tomkins, W.J. Dunlap, and J.A. Mavrogenes****1

4350-3130 Ma detrital zircons in the Southern Cross Granite-Greenstone Terrane, Western Australia: implications for the early evolution of the Yilgarn Craton—*S. Wyche, D.R. Nelson, and A. Riganti****31

Soldiers Cap Group iron-formations, Mt Isa Inlier, Australia, as windows into the hydrothermal evolution of a base-metal-bearing Proterozoic rift basin—*O.J. Hatton and G.J. Davidson****85

Isotopic constraints on crustal architecture and Permo-Triassic tectonics in New Guinea: possible links with eastern Australia—*P.V. Crowhurst, R. Maas, K.C. Hill, D.A. Foster, and C.M. Fanning****107

Sulfur isotope distribution in Late Silurian volcanic-hosted massive sulfide deposits of the Hill End Trough, eastern Lachlan Fold Belt, New South Wales—*P.M. Downes and P.K. Seccombe****123

BASIN RESEARCH

Vol. 16, No. 1, 2004

Origin of the Blue Ridge escarpment along the passive margin of eastern North America—*James A. Spotila, Greg C. Bank, Peter W. Reiners, Charles W. Naeser, Nancy D. Naeser, and Bill S. Henika****41

Polyphase evolution of the East Gobi basin: Sedimentary and structural records of Mesozoic-Cenozoic intraplate deformation in Mongolia—*Cari L. Johnson****79

BIOGEOCHEMISTRY

Vol. 67, No. 2, 2004

Microbial cycling of iron and sulfur in sediments of acidic and pH-neutral mining lakes in Lusatia (Brandenburg, Germany)—*Jutta Meier, Hans-Dietrich Babenzien, and Katrin Wendt-Potthoff****135

BULLETIN DE LA SOCIÉTÉ GÉOLOGIQUE DE FRANCE

Vol. 174, No. 6, 2003

Dynamics and age of formation of the Seram-Ambon ophiolites (Central Indonesia)—*C. Monnier, J. Girardeau, H. Permana, J.-P. Rehault, H. Bellon, and J. Cotten****529

Vol. 175, No. 1, 2004

65 m.y.-long magmatic activity in Sumatra (Indonesia), from Paleocene to Present—*H. Bellon, R.C. Maury, Soeria-Atmadja R. Sutanto, J. Cotten, and M. Polvé****61

BULLETIN OF GEOSCIENCES

Vol. 79, No. 1, 2004

Emerald mineralization in the Kafubu area, Zambia—*A.V. Seifert, V. Žáček, S. Vrána, V. Pecina, J. Zachariáš, and J.C. Zwaan (Hanco)****1

Theoretical model for Jurassic manganese mineralization in Central Europe, Úrkút, Hungary—*M. Polgári, M. Szabó-Drubina, and Z. Szabó****53

The hornblende-plagioclase hornfels from the contact aureole of the Tanvald granite, northern Bohemia – the raw material for Neolithic tools—*J. Klomínský, F. Fediuk, P. Schovánek, and A. Gabašová****63

BULLETIN OF VOLCANOLOGY

Vol. 66, No. 3, 2004

Seismic constraints on magma chambers at Hekla and Torfajökull volcanoes, Iceland—*Heidi Soosalu and Páll Einarsson****276

CANADIAN JOURNAL OF EARTH SCIENCES

Vol. 41, No. 1, 2004

Early Tertiary Anaconda Metamorphic Core Complex, southwestern Montana—*J. Michael O'Neill, Jeff D. Lonn, David R. Lageson, and Michael J. Kunk****63

Geodynamic evolution of the Pan-African belt in central Africa with special reference to Cameroon—*Sadrack Félix Toteu, Joseph Penaye, and Yvette Poudjom Djomani****73

Emplacement, rapid burial, and exhumation of 90-Ma plutons in southeastern Alaska—*Glen R. Himmelberg, Peter J. Haeussler, and David A. Brew****87

Vol. 41, No. 2, 2004

The timing of Proterozoic magmatism in the Pinware terrane of southeast Labrador, easternmost Quebec and northwest Newfoundland—*L.M. Heaman, C.F. Gower, and S. Perreault****127

Stratigraphy, geochronology, and geochemistry of the Georgie River area, northwest British Columbia, and implications for mineral exploration—*Carol A. Evenchick, Vicki J. McNicoll, and Lori D. Snyder****199

A structural reappraisal of the Beardmore–Geraldton Belt at the southern boundary of the Wabigoon subprovince, Ontario, and implications for gold mineralization—*Bruno Lafrance, Jerry C. DeWolfe, and Greg M. Stott****217

CANADIAN MINERALOGIST

Vol. 42, No. 1, 2004

The coexistence of melts of hydrous copper chloride, sulfide and silicate compositions in a magnesiohastingsite cumulate, TUBAF Seamount, Papua New Guinea—*Axel D. Renno, Leander Franz, Thomas Witzke, and Peter M. Herzig****1

The phase relations between $\text{Fe}_{4.5}\text{Ni}_{4.5}\text{S}_8$ and Co_9S_8 in the system Fe–Ni–Co–S at temperatures from 400° to 1100°C—*Arashi Kitakaze and Asahiko Sugaki****17

The system Fe–Co–Ni–As–S. I. Phase relations in the $(\text{Fe},\text{Co},\text{Ni})\text{As}_{0.5}\text{S}_{1.5}$ section at 650° and 500°C—*Skage R. Hem and Emil Makovicky****43

The system Fe–Co–Ni–As–S. II. Phase relations in the $(\text{Fe},\text{Co},\text{Ni})\text{As}_{1.5}\text{S}_{0.5}$ section at 650° and 500°C—*Skage R. Hem and Emil Makovicky****63

The crystal structure of synthetic radtkeite, $\text{Hg}_3\text{S}_2\text{ClI}$ —*Natalie V. Pervukhina, Vladimir I. Vasil'ev, Dmitrii Yu. Naumov, Stanislav V. Borisov, and Svetlana A. Magarill****87

- Kuannersuite-(Ce), $Ba_6Na_2REE_2(PO_4)_6FC1$, a new member of the apatite group, from the ilímaussaq alkaline complex, South Greenland: description and crystal chemistry—*Henrik Friis, Tonči Balić-Žunić, Igor V. Pekov, and Ole V. Petersen****95
- Morphological and chemical study of placer gold from the San Luis Range, Argentina—*Maria Florencia Márquez-Zavalía, Gordon Southam, James R. Craig, and Miguel Angel Galliski****169
- The hypabyssal 5034 kimberlite of the Gahcho Kue cluster, southeastern Slave craton, Northwest Territories, Canada: A granite-contaminated Group-I kimberlite—*Guillaume Caro, Maya G. Kopylova, and Robert A. Creaser****183

CHEMICAL GEOLOGY

Vol. 203, No. 3-4, 2003

- U–Pb dating of serpentinization: hydrothermal zircon from a metasomatic rodingite shell (Sudetic ophiolite, SW Poland)—*Elbieta Dubiska, Pawe Bylina, Andrzej Kozowski, Wolfgang Dörr, Krzysztof Nejbert, Janina Schastok, and Cyprian Kulicki****183
- Symmetrical helium isotope distribution on the Cameroon Volcanic Line, West Africa—*Festus T. Aka, Keisuke Nagao, Minoru Kusakabe, Hirochika Sumino, Greg Tanyileke, Bekoa Ateba, and Joseph Hell****205
- Potassium and boron co-depletion in Canadian Shield brines: evidence for diagenetic interactions between marine brines and basin sediments—*Dennis J. Bottomley and Ian D. Clark****225
- Trace-element and Sr–Nd isotopic geochemistry of the PGE-bearing Xinjie layered intrusion in SW China—*Hong Zhong, Yong Yao, Stephen A. Prevec, Allan H. Wilson, Morris J. Viljoen, Richard P. Viljoen, Bing-Guang Liu, and Yao-Nan Luo****237
- Diurnal variations in the chemistry of geothermal fluids after discharge, Champagne Pool, Waiotapu, New Zealand—*J.G. Pope, D.M. McConchie, M.D. Clark, and K.L. Brown****253
- The South Ladakh ophiolites (NW Himalaya, India): an intra-oceanic tholeiitic arc origin with implication for the closure of the Neo-Tethys—*Gweltaz Mahéo, Hervé Bertrand, Stéphane Guillot, Igor M. Villa, Francine Keller, and Paul Capiiez****273
- Helium and argon isotope geochemistry of alkaline intrusion-associated gold and copper deposits along the Red River–Jinshajiang fault belt, SW China—*Rui-Zhong Hu, P.G. Burnard, Xian-Wu Bi, Mei-Fu Zhou, Jian-Tang Pen, Wen-Chao Su, and Kai-Xing Wu****305
- The composition of sphalerite and associated sulfides in reactions of the Cu–Fe–Zn–S, Fe–Zn–S and Cu–Fe–S systems at 1 bar and temperatures between 250 and 535 °C—*John Lusk and Brian O.E. Calder****319
- Unusual noble gas compositions in polycrystalline diamonds: preliminary results from the Jwaneng kimberlite, Botswana—*Masahiko Honda, David Phillips, Jeffrey W. Harris, and Igor Yatsevich****347

CIM BULLETIN

Vol. 97, No. 1077, 2004

- Exploration similarities and operation differences between industrial and metallic minerals***7
- Diamond exploration targets, Michipicoten greenstone belt—*A.C. Wilson****41
- Geostatistical resource estimation for the Poura narrow-vein gold deposit—*D. Roy, S.D. Butt, and P.K. Frempong****47

CLAYS AND CLAY MINERALS

Vol. 52, No. 1, 2004

- Illite-smectite mixed-layer minerals in felsic volcanoclastic rocks from drill cores, Kakkonda, Japan—*Atsuyuki Inoue, Alain meunier, and Daniel Beaufort****66

- Formation of nontronite from oxidative dissolution of pyrite disseminated in Precambrian felsic metavolcanics of the southern Iberian Massif (Spain)—*J.C. Fernández-Caliani, E. Crespo, M. Rodas, J.F. Barrenechea, and F.J. Luque****106
- Si-associated goethite in hydrothermal sediments of the Atlantis II and Thetis Deeps, Red Sea—*Nurit Taitel-Goldman, Christian Bender Koch, and Arie Singer****115

COMPTEs RENDUS GEOSCIENCES

Vol. 336, No. 1, 2004

- Discovery of a diamond-bearing kimberlite diatreme at Séguéla in Ivory Coast—*André Pouclet, Marc Allialy, Bertin Daouda-Yao, and Boty Eso****9
- U-Pb dating of Augen orthogneisses from the Axial Zone of the Montagne Noire (Southern of Massif Central): New witness of Ordovician magmatism into the Variscan Belt—*Françoise Roger, Jean-Patrick Respaut, Maurice Brunel, Philippe Matte, and Jean-Louis Paquette****19
- Tracing the emerald origin by oxygen isotope data: The case of Sandawana, Zimbabwe—*Johannes C. (Hanco) Zwaan, Alain Cheilletz, and Bruce E. Taylor****41
- A synthesis: Late Cenozoic stress field distribution at northeastern corner of the Eastern Mediterranean, SE Turkey—*Semir Over, Suha Ozden, Ulvi Can Unlugenc, and Huseyin Ylmaz****93

COMPUTERS & GEOSCIENCES

Vol. 30, No. 3, 2004

- Microsoft EXCEL spreadsheet-based program for calculating equilibrium gas speciation in the C–O–H–S–Cl–F system—*Victor C. Kress, Mark S. Ghiorso, and Coby Lastuka****211
- SuperSD: An object-based stochastic simulation program for modeling the locations of undiscovered petroleum accumulations—*Zhuoheng Chen, Kirk G. Osadetz, Haiyu Gao, and Peter K. Hannigan****281

CONTRIBUTIONS TO MINERALOGY AND PETROLOGY

Vol. 147, No. 1, 2004

- Diamondiferous lithospheric roots along the western margin of the Kalahari Craton—the peridotitic inclusion suite in diamonds from Orapa and Jwaneng—*T. Stachel, K.S. Viljoen, P. McDade, et al.****32
- Chemical and isotopic (Pb, Sr) zonation in a peraluminous granite pluton: role of fluid fractionation—*J. Dostal, A.K. Chatterjee, and D.J. Kontak****74
- Boron metasomatism and behaviour of rare earth elements during formation of tourmaline rocks in the eastern Arunta Inlier, central Australia—*Johann G. Raith, Nina Riemer née Schöner, and Thomas Meisel****91
- Micro-drilling ID-TIMS U-Pb dating of single monazites: A new method to unravel complex poly-metamorphic evolutions. Application to the UHT granulites of Andriamena (North-Central Madagascar)—*Jean-Louis Paquette, Philippe Goncalves, Bertrand Devouard, et al.****110

DEEP SEA RESEARCH PART I: OCEANOGRAPHIC RESEARCH PAPERS

Vol. 51, No. 2, 2004

- Hydrogen sulphide eruptions in the Atlantic Ocean off southern Africa: Implications of a new view based on SeaWiFS satellite imager—*Scarla J. Weeks, Bronwen Currie, Andrew Bakun, and Kathleen R. Peard****153

Testing biological control of colonization by vestimentiferan tubeworms at deep-sea hydrothermal vents (East Pacific Rise, 9°50'N)—*Heather L. Hunt, Anna Metaxas, Robert M. Jennings, Kenneth M. Halanych, and Lauren S. Mullineaux****225

DOKLADY EARTH SCIENCES

Vol. 394, No. 1, 2004

Island arc and collisional mineralizations of the Degtyarsk–Karabash massive sulfide zone, middle Urals: Composition, genesis, and tectonic–metamorphic transformations—*V.N. Sazonov, V.N. Ogorodnikov, and Yu.A. Polenov****22

Genesis of productive carbonaceous shales from the Lena gold-bearing area—*M.P. Lobanov, A.V. Sintsov, V. Sizykh, and S.N. Kovalenko****25

Lead isotopic composition of Galena from gold deposits of the Amur region—*N.S. Ostapenko and V.G. Moiseenko****50

A new type of hydrothermal field in the Mid-Atlantic ridge (Lost City Field, 30° N)—*A.Yu. Lein, Yu.A. Bogdanov, A.M. Sagalevich, A.A. Ul'yanov, I.V. Chernyshev, E.O. Dubinina, and M.V. Ivanov****92

EARTH AND PLANETARY SCIENCE LETTERS

Vol. 216, No. 4, 2003

Seawater transport and reaction in upper oceanic basaltic basement: chemical data from continuous monitoring of sealed boreholes in a ridge flank environment—*C. Geoffrey Wheat, Hans W. Jannasch, Miriam Kastner, Josh N. Plant, and Eric Heinen DeCarlo****549

Fluxes of fluid and heat from the oceanic crustal reservoir—*H. Paul Johnson and Matthew J. Pruis****565

Aqueous volatiles in hydrothermal fluids from the Main Endeavour Field, northern Juan de Fuca Ridge: temporal variability following earthquake activity—*Jeffrey Seewald, Anna Cruse, and Peter Saccocia****575

Small-scale convection under the back-arc occurring in the low viscosity wedge—*Satoru Honda and Mitsunobu Saito****703

Vol. 217, No. 1-2, 2004

$^4\text{He}/^3\text{He}$ thermochronometry—*David L. Shuster and Kenneth A. Farley****1

Hf–Nd isotope constraints on the origin of the Cretaceous Caribbean plateau and its relationship to the Galápagos plume—*P.M.E. Thompson, P.D. Kempton, R.V. White, A.C. Kerr, J. Tarney, A.D. Saunders, J.G. Fitton, and A. McBirney****59

Vol. 217, No. 3-4, 2004

Iron stable isotopes: Beyond biosignatures—*A.D. Anbar****223

U-rich Archaean sea-floor sediments from Greenland – indications of >3700 Ma oxygenic photosynthesis—*Minik T. Roseng and Robert Frei****237

Contemporaneous mass extinctions, continental flood basalts, and 'impact signals': are mantle plume-induced lithospheric gas explosions the causal link?—*J. Phipps Morgan, T.J. Reston, and C.R. Ranero****263

Ultra-high chlorine in submarine Kilauea glasses: Evidence for direct assimilation of brine by magma—*Michelle L. Coombs, Thomas W. Sisson, and Jun-Ichi Kimura****297

Molybdenum isotope fractionation during adsorption by manganese oxides—*J. Barling and A.D. Anbar****315

Effect of the Galápagos hotspot on seafloor volcanism along the Galápagos Spreading Center (90.9–97.6°W)—*Mark D. Behn, John M. Sinton, and Robert S. Detrick****331

Tapping into the sub-seafloor: examining diffuse flow and temperature from an active seamount on the Juan de Fuca Ridge—*Matthew J. Pruis and H. Paul Johnson****379

EARTH-SCIENCE REVIEWS

Vol. 65, No. 1-2, 2004

'Zipper-rift': A tectonic model for Neoproterozoic glaciations during the breakup of Rodinia after 750 Ma—
*Nicholas Eyles and Nicole Januszcak***1*

ENVIRONMENTAL GEOLOGY

Vol. 45, No. 2, 2003

Heavy metal pollution and acid drainage from the abandoned Balya Pb-Zn sulfide Mine, NW Anatolia, Turkey—
*Atilla Aykol, Murat Budakoglu, Mustafa Kumral, et al.***198*

Microbial ecology and geochemistry of soils containing iron pans—*C.R. Anderson, I.M. Turnbull, and M.R. Rosen***209*

Mineral precipitation and dissolution at two slag-disposal sites in northwestern Indiana, USA—*E.R. Bayless and M.S. Schulz***252*

Vol. 45, No. 3, 2004

Is groundwater in the Tarkwa gold mining district of Ghana potable?—*Jerry S. Kuma***391*

Selenium source in the selenosis area of the Daba region, South Qinling Mountain, China—*Luo Kunli, Xu Lirong, Tan Jian'an, et al.***426*

ENVIRONMENTAL & ENGINEERING GEOSCIENCE

Vol. IX, No. 4, 2003

Chemical heterogeneities of weathered igneous profiles: Implications for chemical indices—*Nurdan S. Duzgoren-Aydin and Adnan Aydin***363*

ENVIRONMENTAL SCIENCE & TECHNOLOGY

Vol. 38, No. 3, 2004

History and environmental impact of mining activity in Celtic Aeduan territory recorded in a peat bog (Morvan, France)—*F. Monna, C. Petit, J.-P. Guillaumet, I. Jouffroy-Bapicot, C. Blanchot, J. Dominik, R. Losno, H. Richard, J. Lévêque, and C. Chateau***665*

EPISODES

Vol. 27, No.1, 2004

The Imataca Complex, NW Amazonian Craton, Venezuela: Crustal evolution and integration of geochronological and petrological cooling histories—*Colombo C.G. Tassinari, José M.U. Munhá, Wilson Teixeira, Teresa Palacios, Allen P. Nutman, Cesar Sosa S., Adjair P. Santos, and Bruno O. Calado***3*

GEOCHEMICAL JOURNAL

Vol. 38, No. 1, 2004

- Experimental REE partitioning between calcite and aqueous solution at 25°C and 1 atm: Constraints on the incorporation of seawater REE into seamount-type limestones—*K. Tanaka, A. Ohta, and I. Kawabe****19
Sr, Nd, and Pb isotopic and trace element geochemical constraints for a veined-mantle source of magmas in the Michoacán-Guanajuato Volcanic field, west-central Mexican Volcanic Belt—*S.P. Verma and T. Hasenaka****43

GEOCHEMISTRY, GEOPHYSICS, GEOSYSTEMS, G³

Vol. 5, No. 1, 2004

- Evidence for an extensive hydrothermal plume in the Tonga-Fiji region of the South Pacific—*John E. Lupton, Douglas G. Pyle, William J. Jenkins, Ronald Greene, and Leigh Evans****17 January
Quantitative bedrock geology of east and Southeast Asia (Brunei, Cambodia, eastern and southeastern China, East Timor, Indonesia, Japan, Laos, Malaysia, Myanmar, North Korea, Papua New Guinea, Philippines, far-eastern Russia, Singapore, South Korea, Taiwan, Thailand, Vietnam)—*Bernhard Peucker-Ehrenbrink and Mark W. Miller****17 January
Upper crustal seismic velocity structure and microearthquake depths at the Endeavour Segment, Juan de Fuca Ridge—*Andrew H. Barclay and William S.D. Wilcock****17 January
Volcanic glasses at the Izu arc volcanic front: New perspectives on fluid and sediment melt recycling in subduction zones—*S.M. Straub, G.D. Layne, A. Schmidt, and C.H. Langmuir****22 January

Vol. 5, No. 2, 2004

- Hydrothermal circulation within topographically rough basaltic basement on the Juan de Fuca Ridge flank—*G.A. Spinelli and A.T. Fisher****03 February
An InSAR-based survey of volcanic deformation in the central Andes—*M.E. Pritchard and M. Simons****07 February
Hydrothermal venting at Vailulu'u Seamount: The smoking end of the Samoan chain—*H. Staudigel, S.R. Hart, A.A.P. Koppers, C. Constable, R. Workman, M. Kurz, and E.T. Baker****10 February
Cathodoluminescence characteristics of Archean volcanogenic massive sulfide related quartz: Noranda, Ben Nevis and Matagami districts, Abitibi Subprovince, Canada—*S.E. Ioannou, J. Götze, L. Weiershäuser, S.M. Zubowski, and E.T.C. Spooner****24 February

GEOCHEMISTRY INTERNATIONAL

Vol. 42, No. 1, 2004

- Ultramafic rocks, gabbroids, and titanomagnetite ore at Kachkanar, the central Urals: An integrated petrological model—*V.S. Popov and N.F. Nikiforova****11
Late Archean (lopiian) granite-greenstone rock association of the northeastern Belomorian mobile belt, Kola Peninsula, Russia—*V.V. Chashchin****26

Vol. 42, No. 2, 2004

- Timing of syenite intrusions on the eastern slope of the Sredinnyi Range, Kamchatka: Rate of accretionary structure exhumation—*J.K. Hourigan, A.V. Solov'ev, G.V. Ledneva, J.I. Garver, M.T. Brandon, and P.W. Reiners****97
A study of cadmium incorporation into pyrrhotites of different stoichiometry—*V.L. Tauson, V.V. Akimov, I.Yu. Parkhomenko, K.V. Nepomnyashchikh, and V.I. Men'shikov****115

- Microspherules of native gold, sulfides, and sulfosalts in gold ores—*M.I. Novgorodova, G.N. Gamyarin, Yu. Ya. Zhdanov, A.A. Agakhanov, and T.V. Dikaya****122
- Finely dispersed ore minerals in premineral metasomatic rocks at the Dukat ore field, northeastern Russia—*L.G. Filimonova and N.V. Trubkin****145
- Hydrothermal system of the zod gold sulfide deposit, Armenia: Ore sources and formation conditions—*S.V. Kozerenko****188

GEOCHIMICA ET COSMOCHIMICA ACTA

Vol. 68, No. 1, 2004

- The origin of clay minerals in active and relict hydrothermal deposits—*Silke Severmann, Rachel A. Mills, Martin R. Palmer, and Anthony E. Fallick****73
- Formation of monazite via prograde metamorphic reactions among common silicates: implications for age determinations—*Matthew J. Kohn and Margaret A. Malloy****101
- Isotopic evidence for trapped fissionogenic REE and nucleogenic Pu in apatite and Pb evolution at the Oklo natural reactor—*Kenji Horie, Hiroshi Hidaka, and François Gauthier-Lafaye****115
- ⁴⁰Ar/³⁹Ar analyses of clinopyroxene inclusions in African diamonds: Implications for source ages of detrital diamonds—*D. Phillips, J.W. Harris, and G.B. Kiviet****151

Vol. 68, No. 2, 2004

- A lead isotope method for the accurate dating of disturbed geologic systems: Numerical demonstrations, some applications and implications—*F. Tera****203
- Dissolution rates of pure methane hydrate and carbon-dioxide hydrate in undersaturated seawater at 1000-m depth—*Gregor Rehder, Stephen H. Kirby, William B. Durham, Laura A. Stern, Edward T. Peltzer, John Pinkston, and Peter G. Brewer****285
- The measurement of sulfate mineral solubilities in the Na-K-Ca-Cl-SO₄-H₂O system at temperatures of 100, 150 and 200°C—*Daniela Freyer and Wolfgang Voigt****307
- Provenance ages and alteration histories of shales from the Middle Archean Buhwa greenstone belt, Zimbabwe: Nd and Pb isotopic evidence—*Eirik J. Krogstad, Christopher M. Fedo, and Kenneth A. Eriksson****319

Vol. 68, No. 3, 2004

- Optimal methods for estimating kinetic isotope effects from different forms of the Rayleigh distillation equation—*K.M. Scott, X. Lu, C.M. Cavanaugh, and J.S. Liu****433
- Annual fluctuations in sulfur isotope fractionation in the water column of a euxinic marine basin—*Ketil B. Sørensen and Donald E. Canfield****503
- Capture of molybdenum in pyrite-forming sediments: role of ligand-induced reduction by polysulfides—*Trent P. Vorliceck, Mani D. Kahn, Yasuhiro Kasuya, and George R. Helz****547
- Precipitation kinetics and carbon isotope partitioning of inorganic siderite at 25°C and 1 atm—*Concepción Jimenez-Lopez and Christopher S. Romanek****557
- Carbon isotopes and petrography of kerogens in ~3.5-Ga hydrothermal silica dikes in the North Pole area, Western Australia—*Yuichiro Ueno, Hideyoshi Yoshioka, Shigenori Maruyama, and Yukio Isozaki****573
- Nature of the Archean midcrust in the core of the Vredefort dome, Central Kaapvaal Craton, South Africa—*C. Lana, W.U. Reimold, R.L. Gibson, C. Koeberl, and S. Siegesmund****623
- Experimental partitioning of Tc, Mo, Ru, and Re between solid and liquid during crystallization in Fe-Ni-S—*C. Lazar, D. Walker, and R.J. Walker****643

GEOFLUIDS

Vol. 4, No. 2, 2004

- Thermal convection in faulted extensional sedimentary basins: Theoretical results from finite-element modeling—*M.A. Simms and G. Garven****109
- Hydrothermal control on organic matter alteration and illite precipitation, Mt Isa Basin, Australia—*I.T. Uysal, M. Glikson, S.D. Golding, and P.N. Southgate****131
- Fluid sinks within the earth's crust—*I. Stober and K. Bucher****143
- Salinity structure of the central North Slope foreland basin, Alaska, USA: Implications for pathways of past and present topographically driven regional fluid flow—*J.S. Hanor, J.A. Nunn, and Y. Lee****152
- Metamorphic and basin fluids in quartz-carbonate-sulphide veins in the SW Scottish Highlands: A stable isotope and fluid inclusion study—*R. Anderson, C.M. Graham, A.J. Boyce, and A.E. Fallick****169

GEOLOGICAL JOURNAL

Vol. 39, No. 1, 2004

- Mud volcanoes of Italy—*Giovanni Martinelli and Alan Judd****49
- Structural evolution of the southern Rif Cordillera (Morocco): tectonics and synsedimentary fault processes—*Lahcen Zouhri****81

GEOLOGICAL MAGAZINE

Vol. 141, No. 1, 2004

- K–Ar geochronology of a middle Miocene submarine volcano-plutonic complex in southwest Japan—*T. Imaoka and T. Itaya****1
- Highly heterogeneous Late Mesozoic lithospheric mantle beneath the North China Craton: evidence from Sr–Nd–Pb isotopic systematics of mafic igneous rocks—*Zhang Hong-Fu, Sun Min, Zhou Mei-Fu, Fan Wei-Ming, Zhou Xin-Hua, and Zhai Ming-Guo****55
- Petrogenetic modelling of Quaternary post-collisional volcanism: a case study of central and eastern Anatolia—*Pinar Alici Sen, Abidin Temel, and Alain Gourgaud****81

GEOLOGISCHES JAHRBUCH - REIHE B

Vol. 91, No. 8, 2003

- Early Paleozoic island arc volcanism in the Bowers Terran of northern Victoria land, Antarctica—*Solveig Estrada and Heinz Jordon****183

GEOLOGY

Vol. 32, No. 3, 2004

- Iceland, the Farallon slab, and dynamic topography of the North Atlantic—*Clinton P. Conrad, Carolina Lithgow-Bertelloni and Keith E. Loudon****177
- Paleozoic stromatolites and zebra carbonate mud-mounds: Global abundance and paleogeographic distribution—*Federico F. Krause, Christopher R. Scotese, Carlos Nieto, Selim G. Sayegh, John C. Hopkins and Rudolf O. Meyer****181
- Space-based estimate of the volcanic heat flux into the atmosphere during 2001 and 2002—*Robert Wright and Luke P. Flynn****189

- Pace of landscape evolution in the Sierra Nevada, California, revealed by cosmogenic dating of cave sediments—*Greg M. Stock, Robert S. Anderson and Robert C. Finkel****193
- Fluid expulsion related to mud extrusion off Costa Rica—A window to the subducting slab—*C. Hensen, K. Wallmann, M. Schmidt, C.R. Ranero and E. Suess****201
- Iron isotope fractionation during microbial reduction of iron: The importance of adsorption—*G.A. Icopini, A.D. Anbar, S.S. Ruebush, M. Tien and S.L. Brantley****205
- Copper deposition by fluid cooling in intrusion-centered systems: New insights from the Bingham porphyry ore deposit, Utah—*P.B. Redmond, M.T. Einaudi, E.E. Inan, M.R. Landtwing and C.A. Heinrich****217
- Zircon growth in slate—*T.J. Dempster, D.C. Hay and B.J. Bluck****221
- 3.6 Ga lower crust in central China: New evidence on the assembly of the North China craton—*Jianping Zheng, W.L. Griffin, Suzanne Y. O'Reilly, Fengxiang Lu, Chunyang Wang, Ming Zhang, Fangzheng Wang and Huimin Li****229
- Topographic response to mantle lithosphere removal in the southern Sierra Nevada region, California—*Jason Saleeby and Zorka Foster****245
- Isotopic geochemistry of the Saratoga springs: Implications for the origin of solutes and source of carbon dioxide—*Donald I. Siegel, Keri A. Lesniak, Martin Stute and Shaun Frapce****257
- Microstructural evolution of syntaxial veins formed by advective flow—*Christoph Hilgers, Karin Dilg-Gruschinski and Janos L. Urai****261

GEOLOGY OF ORE DEPOSITS

Vol. 46, No. 1, 2004

- The Au–PGE mineralization at the Pavlovsk brown coal deposit, Primorye—*V.V. Seredin****36
- Deep structure of the earth's crust in the district of the Sukhoi log gold–platinum deposit (Eastern Siberia, Russia) based on geological and geophysical data—*E.N. Lishnevski and V.V. Distler****76

Vol. 46, No. 2, 2004

- Large and superlarge volcanic-associated massive sulfide deposits—*N.I. Eremin, A.L. Dergachev, N.V. Pozdnyakova, and Nat. E. Sergeeva****91
- Age, composition, and sources of ore-bearing magmatism of the Orot beryllium deposit in western Transbaikalia, Russia—*D.A. Lykhin, V.I. Kovalenko, V.V. Yarmolyuk, A.B. Kotov, V.P. Kovach, and E.B. Sal'nikova****108
- Mineralogy of diamonds from the Yubilenaya Pipe (Yakutia)—*N.N. Zinchuk and V.I. Koptil****135
- Palladium, platinum, and gold mineral assemblages in ores of the Norilsk deposit—*É.M. Spiridonov, É.A. Kulagov, and I.M. Kulikova****150

GEOPHYSICAL JOURNAL INTERNATIONAL

Vol. 156, No. 3, 2004

- Flow patterns in the Siberian traps deduced from magnetic fabric studies—*J.-P. Callot, E. Gurevitch, M. Westphal, and J.-P. Pozzi****426
- Palaeomagnetic, rock-magnetic and microscopy studies of historic lava flows from the Paricutin volcano, Mexico: Implications for the deflection of palaeomagnetic directions—*J. Urrutia-Fucugauchi, L.M. Alva-Valdivia, A. Goguitchaichvili, M.L. Rivas, and J. Morales****431
- The crustal structure of the Dead Sea Transform—*DESERT Group, M. Weber et al.****655

Vol. 157, No. 1, 2004

- Determination of crustal thickness beneath Chiapas, Mexico using S and Sp waves—*C. Narcía-López, R.R. Castro, and C.J. Rebollar****215

Dyke emplacement in fractured media: application to the 2000 intrusion at Izu islands, Japan—*E. Rivalta and T. Dahm****283

GEOPHYSICAL RESEARCH LETTERS

Vol. 31, No. 2-6, 2004

Seismic structure of the crust and uppermost mantle in the incipient stage of back arc rifting — northernmost Okinawa Trough—*Kazuo Nakahigashi, Masanao Shinohara, Sadaomi Suzuki, Ryota Hino, Hajime Shiobara, Hiroshi Takenaka, Minoru Nishino, Takeshi Sato, Shinji Yoneshima, and Toshihiko Kanazawa****31 January

Volcanic vent self-similar clustering and crustal thickness in the northern Main Ethiopian Rift—*Francesco Mazzarini****19 February

Carbon isotope cycle and mantle structure—*N. Coltice, L. Simon, and C. Lécuyer****04 March

Strong seismic reflections and melts in the mantle of a continental back-arc basin—*W.R. Stratford and T.A. Stern****27 March

GEOPHYSICS

Vol. 69, No. 2, 2004

Downhole seismic imaging of a massive sulfide orebody with mode-converted waves, Halfmile Lake, New Brunswick, Canada—*Gilles Bellefleur, Christof Müller, David Snyder, and Larry Matthews****318

Skeletonization of aeromagnetic data—*D. Eaton and K. Vasudevan****478

GEOTECTONICS

Vol. 38, No. 1, 2004

Geodynamics of Eurasia: Plate tectonics and block tectonics—*Yu. G. Gatinsky and D.V. Rundquist****1

Correlation of Late Paleozoic tectonic events in basins at the southwestern margin of the east European craton and in surrounding structures—*R.E. Azberg, R.G. Garetzki, and T.A. Starchik****43

Geodynamics and paleogeography of the northwestern Pacific continental margin in the Late Cretaceous—*A.N. Sukhov, N.A. Bogdanov, and V.D. Chekhovich****61

Vol. 38, No. 2, 2004

The deep structure of Early Precambrian crust of the Karelian Craton, southeastern Fennoscandian Shield: Results of investigation along CMP profile 4B—*M.V. Mints, R.G. Berzin, A.K. Sulemanov, N.G. Zamozhnyaya, V.M. Stupak, A.N. Konilov, V.L. Zlobin, and T.V. Kaulina****87

A tectonic interpretation of petrochemical signatures of Proterozoic and Paleozoic alkaline rocks from the Porjaguba dike swarm, Kandalaksha Bay, White Sea—*V.M. Moralev and M.D. Samsonov****103

Recent geodynamics of the Caucasus–Arabia–East Africa region—*A.V. Ershov and A.M. Nikishin****123

GFF

Vol. 125, No. 4, 2003

P-T-t modeling of Proterozoic terranes in Lithuania: Geodynamic implications for accretion of southwestern Fennoscandia—*G. Skridlaite, E. Willingshofer, and R. Stephenson****201

GLOBAL TECTONICS AND METALLOGENY

Vol. 7, No. 2, 1999

- Special Issue on Global Tectonics and Metallogeny—*J. Kutina, R. Pei, and S.E. Rodriguez****79
- Meallogenic zoning in northwestern Venezuela—*S.E. Rodriguez****85
- The diamondiferous kimberlites of the Guaniamo area, western Boliva, Venezuela—*S.E. Rodriguez, S. Sifontes, and J.C. Vasquez****89
- The geology of Las Cristinas gold deposit - km 88, Venezuela.—*A. Bernasconi****91
- Tectonics and the mineral potential of the Amazonas and southwestern Bolivar States, Venezuela—*J. Wynn****95
- Mineral prognosis maps based on the relationships between metal concentration and deep structure of the lithosphere—*J. Kutina****103
- Relation of regional crustal structures and the distribution of ore deposits in western USA based on magnetic and gravity data—*T.D. Hildenbrand, R.C. Jachens, and B. Berger****105
- Metallogenic development of the Krakow terrane suture controlling giant Zn-Pb ore deposits in Poland—*C. Haranczyk****113
- On the three-dimensional tectonic framework of the lithosphere in north China—*S. Cui****115
- Distribution of mineral deposits controlled by seismically active fractured zones in Andean south America—*V. Hanus, J. Vanek, and A. Spicak****117
- New world map of large and superlarge mineral deposits—*D.V. Rindqvist, S.V. Cherkasov, and A.P. Stavsky****131
- The TransAustralian 25 degrees discontinuity and associated structure: Investigation of their role in concentration of metals, especially nickel cobalt—*J. Kutina****135
- Latitudinal crustal lineaments in the Australian continental structures as fundamental generators of divergent basement fracture patterns associated with major ore deposits—*E.S.T. O'Driscoll and Ingrid B. Campbell****141
- Specific crustal features of large and super-large endogenic gold deposits (Siberia and Far East regions)—*M.M. Konstantinov, S.V. Cherkasov, and A.V. Egorkin****143

GSA TODAY

Vol. 14, No. 4, 2004

- Are plutons assembled over millions of years by amalgamation from small magma chambers?—*Allen F. Glazner, John M. Bartley, Drew S. Coleman, Walt Gray, and Ryan Z. Taylor****4

INTERNATIONAL GEOLOGY REVIEW

Vol. 46, No. 1, 2004

- Metamorphic processes in rodingites of the Zermatt-Saas ophiolites—*Xu-Ping Li, Meinert Rahn, and Kurt Bucher****28
- Zircon Pb-Pb geochronology of the Caruaru area, northeastern Brazil: Temporal constraints on the Proterozoic evolution of Borborema province—*S.P. Neves, S.C. Melo, C.A.V. Moura, G. Mariano, and J.M. Rangel Da Silva****52
- Electromagnetic imaging of the Thrace basin and intra-pontide subduction zone, northwestern Turkey—*Murat Bayrak, Aysan Gürer, and Ö. Feyzi Gürer****64
- Mineralogy and geochemistry of an epithermal manganese district, Sierras Pampeanas, Argentina—*Pablo R. Leal****75

Vol. 46, No. 2, 2004

- Chromium geochemistry of serpentine soils—*Christopher Oze, Scott Fendorf, Dennis K. Bird, and Robert G. Coleman****97
- Zambales ophiolite complex (Philippines) transition-zone dunites: restite, cumulate, or replacive products?—*Graciano P. Yumul, Jr.****259
- Tectonic and metallogenic significance of sedimentary manganese deposits in the eastern Cantabrian Domain, Asturias, northwestern Spain—*E. Martinez-García, J.F. Antona, A. García Sanchez, and J.L. Quiroga de la Vega****273

INTERNATIONAL JOURNAL OF EARTH SCIENCES

Vol. 93, No. 1, 2004

- Monazite dating of granitic gneisses and leucogranites from the Kerala Khondalite Belt, southern India: implications for Late Proterozoic crustal evolution in East Gondwana—*Ingo Braun and Michael Brocker****13
- The Las Chacras-Potrerrillos batholith (Pampean Ranges, Argentina): structural evidence, emplacement and timing of the intrusion—*S. Siegesmund, A. Steenken, M.G. Lopez de Luchi, et al.****23
- Granitoid rocks of the southern Menderes Massif (southwestern Turkey): field evidence for Tertiary magmatism in an extensional shear zone—*Erdin Bozkurt****52 - 71
- Low-grade metamorphic rocks from the Pular complex, NE Turkey: implications for the pre-Liassic evolution of the Eastern Pontides—*Gultekin Topuz, Rainer Altherr, Muharrem Satir, et al.****72

INTERNATIONAL JOURNAL OF REMOTE SENSING

Vol. 25, No. 2, 2004

- Remote sensing research in biogeochemistry of the Hetai gold deposit, Guangdong Province, China—*Xu Ruisong and Ma Yueliang****437

THE ISLAND ARC

Vol. 13, No. 1, 2004

- Evolution of an accretionary complex along the north arm of the Island of Sulawesi, Indonesia—*Yusuf Surachman Djajadihardja, Asahiko Taira, Hidekazu Tokuyama, Kan Aoike, Christian Reichert, Martin Block, Hans U. Schluter, and Sonke Neben****1
- Geochemistry of the oldest MORB and OIB in the Isua Supracrustal Belt, southern West Greenland: Implications for the composition and temperature of early Archean upper mantle—*Tsuyoshi Komiya, Shigenori Maruyama, Takafumi Hirata, Hisayoshi Yurimoto, and Susumu Nohda****47
- Petrochemical evidence for off-ridge magmatism in a back-arc setting from the Yakuno ophiolite, Japan—*Yuji Ichiyama, and Akira Ishiwatari****157
- Evidence for fluid flow in the Japan Trench forearc using isotope geochemistry (Cl, Sr, B): Results from ODP Site 1150—*Annette Deyhle, Achim Kopf, Shaun Frape, and Reinhard Hesse****258
- Japan Trench and tectonics of the Japanese Island Arcs—*Nobuaki Niitsuma****306

JOURNAL OF AFRICAN EARTH SCIENCES

Vol. 38, No. 2, 2004

- The roles of primary kimberlitic and secondary Dwyka glacial sources in the development of alluvial and marine diamond deposits in Southern Africa—*J.M. Moore and A.E. Moore****115
- A restatement of the Mesozoic Atlasic Rifting (Morocco)—*Edgard Laville, Alain Pique, Mostafa Amrhar, and Mohammed Charroud****145
- Tensional fissures and crustal extension rates in the northern part of the Main Ethiopian Rift—*F.M. Williams, M.A.J. Williams, and F. Aumento****183
- Pan-African skarn deposits related to banded iron formation, Um Nar area, central Eastern Desert, Egypt—*Galal H. El Habaak****199

JOURNAL OF APPLIED GEOPHYSICS

Vol. 55, No. 1-2, 2004

- Special Issue on Non-Petroleum Applications of Borehole Geophysics—*F. Paillet, P. Killeen, and G. Reeves****1

JOURNAL OF ASIAN EARTH SCIENCES

Vol. 23, No. 2, 2004

- Emeishan basalt Ar–Ar overprint ages define several tectonic events that affected the western Yangtze platform in the Mesozoic and Cenozoic—*Jason R. Ali, Ching-hua Lo, Gary M. Thompson, and Xieyan Song****163
- Fluid inclusion studies in quartz veinlets in the porphyry copper deposit at Sungun, East-Azarbaidjan, Iran—*Ali Asghar Calagari****179
- Collision belt between the Khanka block and the North China block in the Yanbian Region, Northeast China—*Jia Dacheng, Hu Ruizhong, Lu Yan, and Qiu Xuelin****211

JOURNAL OF GEOCHEMICAL EXPLORATION

Vol. 82, No. 1-3, 2004

- Characterisation of a mining-related arsenic-contaminated site, Cornwall, UK—*G. Simon Camm, Hylke J. Glass, Derek W. Bryce, and Alan R. Butcher****1
- Geochemical evidences of sedimentary-exhalative origin of the shale-hosted PGE–Ag–Au–Zn–Cu occurrences of the Prades Mountains (Catalonia, Spain): Trace-element abundances and Sm–Nd isotopes—*Carles Canet, Pura Alfonso, Joan Carles Melgarejo, and Boris V. Belyatsky****17
- Sediment chemistry: a history of mine contaminant remediation and an assessment of processes and pollution potential—*C.J. von der Heyden and M.G. New****35
- Normative minerals and alteration indices developed for mineral exploration—*Mathieu Piché and Michel Jébrak****59
- Geochemical exploration in a mountainous area by statistical modeling of polypopulational data distributions—*Gerd Rantitsch****79
- Geochemistry of glacial sediments in the area of the Bend massive sulfide deposit, north-central Wisconsin—*Laurel G. Woodruff, John W. Attig, and William F. Cannon****97

JOURNAL OF GEODYNAMICS

Vol. 37, No. 2, 2004

Oceanic plateau accretion onto the northwestern margin of the Yilgarn Craton, Western Australia: Implications for a mantle plume event at ca. 2.0 Ga—*Franco Pirajno****205

THE JOURNAL OF GEOLOGY

Vol. 112, No. 2, 2004

Synkinematic intrusion of the 1.4-Ga Borianna Canyon Pluton, Northwestern Arizona: Implications for Ca. 1.4-Ga regional strain in the western United States—*Colin B. Ferguson, Ernest M. Duebendorfer, and Kevin R. Chamberlain****165

Kinematic Constraints on Rodinia Reconstructions from the Core of the Texas Grenville Orogen—*Joseph F. Reese and Sharon Mosher****185

JOURNAL OF GEOPHYSICAL RESEARCH

Vol. 109, No. B1, 2004

Initiation of subduction by small-scale convection—*V.S. Solomatov****24 January

Microfracturing, damage, and failure of brittle granites—*Oded Katz and Ze'ev Reches****20 January

Decay of hydrothermal output following the 1998 seafloor eruption at Axial Volcano: Observations and models—*Edward T. Baker, Robert P. Lowell, Joseph A. Resing, Richard A. Feely, W. Robert Embley, Gary J. Massoth, and Sharon L. Walker****20 January

Hydrothermal seepage patterns above a buried basement ridge, eastern flank of the Juan de Fuca Ridge—*G.A. Spinelli, L. Zühlsdorff, A.T. Fisher, C.G. Wheat, M. Mottl, V. Spieß, and E.R. Giambalvo****14 January 2004

Microearthquake patterns following the 1998 eruption of Axial Volcano, Juan de Fuca Ridge: Mechanical relaxation and thermal strain—*Robert A. Sohn, Andrew H. Barclay, and Spahr C. Webb****14 January

JOURNAL OF PETROLOGY

Vol. 45, No. 2, 2004

Special Issue on Orogenic Lherzolites and Mantle Processes—*M. Menzies, M. Obata, S. Arai, J.-L. Bodinier, D. Kohlstedt, F. Frey, K. Ozawa, N. Shimizu, and R. Vissers****221

JOURNAL OF SEDIMENTARY RESEARCH

Vol. 74, No. 2, 2004

A model for the origin of large carbonate- and evaporite-hosted celestine (SrSO₄) deposits—*Jeffrey S. Hanor****168

JOURNAL OF STRUCTURAL GEOLOGY

Vol. 26, No. 6-7, 2004

- Special Issue on Applied Structural Geology in Mineral Exploration and Mining—*J.R. Vearncombe, T.G. Blenkinsop, and S.M. Reddy****989
- Tectonic and structural setting for active mesothermal gold vein systems, Southern Alps, New Zealand—*D. Craw and J.R. Campbell****995
- Syn-deformational features of Carlin-type Au deposits—*Stephen G. Peters****1007
- Structural and mechanical controls on intrusion-related deposits of the Tombstone Gold Belt, Yukon, Canada, with comparisons to other vein-hosted ore-deposit types—*Julian R. Stephens, John L. Mair, Nicholas H.S. Oliver, Craig J.R. Hart, and Timothy Baker****1025
- How to resolve the controls on mesothermal vein systems in a goldfield characterized by sparse kinematic information and fault reactivation—a structural and graphical approach—*Oliver P. Kreuzer****1043
- Structural controls on Witwatersrand gold mineralisation—*S.J. Jolley, S.R. Freeman, A.C. Barnicoat, G.M. Phillips, R.J. Knipe, A. Pather, N.P.C. Fox, D. Strydom, M.T.G. Birch, I.H.C. Henderson, and T.W. Rowland****1067
- Fault/fracture density and mineralization: a contouring method for targeting in gold exploration—*Gerard I. Tripp and Julian R. Vearncombe****1087
- The St Ives mesothermal gold system, Western Australia—a case of golden aftershocks?—*S.F. Cox and K. Ruming****1109
- Controls on maximum fluid overpressure defining conditions for mesozonal mineralisation—*Richard H. Sibson****1127
- Aeromagnetic patterns of half-graben and basin inversion: implications for sediment-hosted massive sulfide Pb–Zn–Ag exploration—*P.G. Betts, D. Giles and G.S. Lister****1137
- Fluid flow in extensional environments; numerical modelling with an application to Hamersley iron ores—*J.G. McLellan, N.H.S. Oliver, and P.M. Schaubs****1157
- Structural controls on nickel sulphide ore shoots in Archaean komatiite, Kambalda, WA: the volcanic trough controversy revisited—*W.E. Stone and N.J. Archibald****1173
- The impact of the linkage between grade distribution and petrofabric on the understanding of structurally controlled mineral deposits: Ouro Fino Gold Mine, Brazil—*R.N. Monteiro, W.S. Fyfe, and F. Chemale, Jr****1195
- Shear zone versus fold geometries at the Cannington Ag–Pb–Zn deposit: implications for the genesis of BHT deposits—*Tony J. Roache****1215
- Structural analysis of faults related to a heterogeneous stress history: reconstruction of a dismembered gold deposit, Stawell, western Lachlan Fold Belt, Australia—*John McL. Miller and Christopher J.L. Wilson****1231
- Vein mineralization at the Damang Gold Mine, Ghana: controls on mineralization—*Andrew J. Tunks, David Selley, Jamie R. Rogers, and Gary Brabham****1257
- 3-D Mohr circle analysis of vein opening, Indarama lode-gold deposit, Zimbabwe: implications for exploration—*C.J. McKeagney, C.A. Boulter, R.J.H. Jolly, and R.P. Foster****1275
- Orebody geometry in lode gold deposits from Zimbabwe: implications for fluid flow, deformation and mineralization—*T.G. Blenkinsop****1293
- Tension vein arrays in progressive strain: complex but predictable architecture, and major hosts of ore deposits—*W.P. Laing****1303
- Determining the size and shape of blocks from linear sampling for geotechnical rock mass classification and assessment—*J.V. Smith****1317

JOURNAL OF THE GEOLOGICAL SOCIETY

Vol. 161, No. 2, 2004

- U–Pb (LA–ICP–MS) dating of detrital zircons from Cambrian clastic rocks in Avalonia: Erosion of a Neoproterozoic arc along the northern Gondwanan margin—*J.B. Murphy, J. FernÁndez-SuÁrez, T. Jeffries, and R. Strachan****243

JOURNAL OF THE GEOLOGICAL SOCIETY OF INDIA

Vol. 63, No. 2, 2003

Chemical composition of tourmaline in metarhyolite near Majjur, Gadag Schist Belt, Karnataka—*D. Srinivasa Sarma, R.H. Sawkar, S.N. Charan, D.V. Subba Rao, and S.M. Naqvi****217

Vol. 63, No. 3, 2003

Petromineragraphy and mineral chemistry of bituminous shale-hosted uranium mineralization at Sonrai, Lalitpur district, Uttar Pradesh—*Minati Roy, A.K. Bagchi, E.V.S.S.K. Babu, Brindaban mishra, and p. Krishnamurthy****291

JOURNAL OF VOLCANOLOGY AND GEOTHERMAL RESEARCH

Vol. 130, No. 1-2, 2004

Drill core-based facies reconstruction of a deep-marine felsic volcano hosting an active hydrothermal system (Pual Ridge, Papua New Guinea, ODP Leg 193)—*H. Paulick, D.A. Vanko, and C.J. Yeats****31

Primary clinopyroxene spherulites in basaltic lavas from the Pacific–Antarctic Ridge—*Thomas Monecke, Axel D. Renno, and Peter M. Herzig****51

Volcanostratigraphy of arc volcanic sequences in the Kohistan arc, North Pakistan: volcanism within island arc, back-arc-basin, and intra-continental tectonic settings—*Michael G. Pettersson and Peter J. Treloar****147

Vol. 130, No. 3-4, 2004

Short-lived magmatic activity in an anorogenic subvolcanic complex: $^{40}\text{Ar}/^{39}\text{Ar}$ and ion microprobe U–Pb zircon dating of the Erongo, Damaraland, Namibia—*Marcus Wigand, Axel K. Schmitt, Robert B. Trumbull, Igor M. Villa, and Rolf Emmermann****285

Morphology and propagation styles of Miocene submarine basanite lavas at Stanley, northwestern Tasmania, Australia—*Yoshihiko Goto and Jocelyn McPhie****307

LITHOLOGY AND MINERAL RESOURCES

Vol. 39, No. 2, 2004

Hypergene metallogeny of the Urals—*B.M. Mikhailov****p. 114

Lithological features of Precambrian gold-bearing rocks: Evidence from the Ukrainian Shield—*A.V. Dragomiretskii****145

LITHOS

Vol. 73, No. 3-4, 2004

Mid-ocean ridge and supra-subduction affinities in the Pindos ophiolites (Greece): implications for magma genesis in a forearc setting—*Emilio Saccani and Adonis Photiades****229

Mid-Proterozoic magmatic arc evolution at the southwest margin of the Baltic Shield—*T. Andersen, W.L. Griffin, S.E. Jackson, T.-L. Knudsen, and N.J. Pearson****289

MARINE GEOLOGY

Vol. 204, No. 3-4, 2004

The hydrothermal plumbing of a serpentinite-hosted detachment: Evidence from the West Iberia non-volcanic rifted continental margin—*L. Hopkinson, J.S. Beard, and C.A. Boulter****301

MINERALOGICAL MAGAZINE

Vol. 68, No. 1, 2004

- Optimization of some key geothermobarometers for pelitic metamorphic rocks—*M.J. Holdaway****1
- Mineralogical controls on arsenic mobility in the Baccu Locci stream catchment (Sardinia, Italy) affected by past mining—*F. Frau and C. Ardaù****15
- Arsenopyrite and As-bearing pyrite from the Roudný deposit, Bohemian Massif—*J. Zachariá, J. Frýda, B. Paterová, and M. Mihaljevi****31
- Carbonatitic melts in cuboid diamonds from Udachnaya kimberlite pipe (Yakutia): evidence from vibrational spectroscopy—*D.A. Zedgenizov, H. Kagi, V.S. Shatsky, and N.V. Sobolev****61
- Iron and water losses from hydrous basalts contained in Au80Pd20 capsules at high pressure and temperature—*L.J. Hall, J. Brodie, B.J. Wood, and M.R. Carroll****75
- Heat capacity of lazulite, $\text{MgAl}_2(\text{PO}_4)_2(\text{OH})_2$, from 35 to 298 K and a (S-V) value for P_2O_5 to estimate phosphate entropy—*F. Brunet, D. Morineau, and P. Schmid-Beurmann****123
- The structure and thermal expansion behaviour of ikaite, $\text{CaCO}_3 \cdot 6\text{H}_2\text{O}$, from $T = 114$ to $T = 293$ K—*A.R. Lennie, C.C. Tang, and S.P. Thompson****135
- Cinnabar, livingstonite, stibnite and pyrite in Pliocene silica sinter from Northland, New Zealand—*W.A. Hampton, G.P. White, P.W.O. Hoskin, P.R.L. Browne, and K.A. Rodgers****191
- Quantitative high-resolution cathodoluminescence spectroscopy of smithsonite—*T. Götte and D.K. Richter****199

MINERALOGY AND PETROLOGY

Volume 80, No. 3-4, 2004

- Special Issue on Carbonatites and Associated Mineralization—*D.I. Groves and L.G. Gwalani****123
- Nature and genesis of a carbonatite-associated fluorite deposit at Speewah, East Kimberley region, Western Australia—*M.P. Alvin, J.M. Dunphy, D.I. Groves****127
- Oxygen isotope thermometry in carbonatites, Fuerteventura, Canary Islands, Spain—*A. Demény, T.W. Vennemann, A. Ahijado, et al.****155
- The giant Vergenoeg fluorite deposit in a magnetite–fluorite–fayalite REE pipe: a hydrothermally-altered carbonatite-related pegmatoid?—*B.H. Goff, R. Weinberg, D.I. Groves, et al.****173
- Chemical and isotopic (C, O, Sr, Nd) characteristics of the Xiluvo carbonatite (central-western Mozambique)—*L. Melluso, P. Censi, G. Perini, et al.****201
- Mineralogy and geochemistry of silicate dyke rocks associated with carbonatites from the Khibina complex (Kola, Russia) – isotope constraints on genesis and small-scale mantle sources—*S. Sindern, A.N. Zaitsev, A. Demény, et al.****215
- Early Cretaceous Sung Valley ultramafic-alkaline-carbonatite complex, Shillong Plateau, Northeastern India: petrological and genetic significance—*Rajesh K. Srivastava and A.K. Sinha****241

MINERALIUM DEPOSITA

Vol. 39, No. 2, 2004

- Noril'sk–Talnakh Cu–Ni–PGE deposits: A revised tectonic model—*Alexander Yakubchuk and Anatoly Nikishin****125
- Mass flow sedimentology within the HYC Zn–Pb–Ag deposit, Northern Territory, Australia: Evidence for syn-sedimentary ore genesis—*Tim Ireland, Stuart W. Bull, and Ross R. Large****143
- Compositional variations of olivine from the Jinchuan Ni–Cu sulfide deposit, western China: Implications for ore genesis—*Chusi Li, Zhanghua Xu, Sybrand A. de Waal, et al.****159
- Rosia Poieni copper deposit, Apuseni Mountains, Romania: Advanced argillic overprint of a porphyry system—*Viorica Milu, Jean-Pierre Milesi, and Jacques Léon Leroy****173
- Apatite nodules as an indicator of depositional environment and ore genesis for the Mesoproterozoic Broken Hill-type Gamsberg Zn–Pb deposit, Namaqua Province, South Africa—*Marcel Stalder and Abraham Rozendaal****189
- Cenozoic continental arc magmatism and associated mineralization in Ecuador—*Massimo Chiaradia, Lluís Fontboté, and Bernardo Beate****204
- Structural controls on hydrothermal alteration and gold–antimony mineralisation in the Hillgrove area, NSW, Australia—*P.M. Ashley and D. Craw****223
- A preliminary study of PGE in the Late Caledonian Loch Borralan and Loch Ailsh alkaline pyroxenite-syenite complexes, north-west Scotland—*Michael T. Styles, Andrew G. Gunn, and Keith E. Rollin****240
- ⁴⁰Ar–³⁹Ar age data for andesitic magmatism and hydrothermal activity in the Timok Massif, eastern Serbia: Implications for metallogenic relationships in the Bor copper-gold subprovince—*Alan H. Clark and Thomas D. Ulrich****256

MINERALOGICAL RECORD

Vol. 35, No. 1, 2004

- A collection of diamond crystals, with notes on the science, history and worldwide localities of diamonds—*T.P. Moore****9
- California gold from the wreck of the *S.S. Central America*—*Q.D. Bowers****35
- The Eagle's nest mine, Placer county, California—*W.C. Leicht and R. Cook****65

MINERALS ENGINEERING

Vol. 17, No. 2, 2004

- Leaching residue of nickeliferous laterites as a source of iron concentrate—*E. Stamboliadis, G. Alevizos, and J. Zafiratos****245
- Modelling of the bioleaching of sulphide ores: application for the simulation of the bioleaching/gravity section of the Kasese Cobalt Company Ltd process plant—*S. Brochot, M.V. Durance, J. Villeneuve, P. d'Hugues, and M. Mugabi****253

Vol. 17, No. 3, 2004

- Review of germanium processing worldwide—*R.R. Moskalyk****393

NATURAL RESOURCES RESEARCH

Vol. 13, No. 1, 2004

Uncertainty estimate in resources assessment: A geostatistical contribution—*Luis Eduardo de Souza, João Felipe C. L. Costa, and Jair C. Koppe****1

Cause-effect analysis in assessment of mineral resources—*Susanna V. Sirotinskaya****17

NATURE

Vol 427, 2004

Mixing, volatile loss and compositional change during impact-driven accretion of the Earth—*Alex N. Halliday****505

Ramp initiation in a thrust wedge—*John Panian and David Wiltschko****624

NEUES JAHRBUCH FÜR MINERALOGIE - MONATSFORTE

No. 4, 2004

Tellurium and precious-metal ore minerals at Mina Capillitas, Northwestern Argentina—*María Florencia Márquez-Zavalía and James R. Craig****176

NEW ZEALAND JOURNAL OF GEOLOGY AND GEOPHYSICS

Vol. 47, No. 1, 2004

Telescoped porphyry-style and epithermal veins and alteration at the central Maratoto valley prospect, New Zealand—*M.P. Simpson, J.L. Mauk, and R.G. Kendrick**** 39

ORGANIC GEOCHEMISTRY

Vol. 35, No. 4, 2004

Thermochemical sulphate reduction (TSR): Experimental determination of reaction kinetics and implications of the observed reaction rates for petroleum reservoirs—*Martin M. Cross, David A.C. Manning, Simon H. Bottrell, and Richard H. Worden****393

Variable alteration in heavy crude oils of west-central Saskatchewan, Canada—*Mark Obermajer, Kirk G. Osadetz, Martin G. Fowler, Maowen Li, and Lloyd R. Snowdon****469

PHYSICS AND CHEMISTRY OF MINERALS

Vol. 31, No. 2, 2004

Mn distribution in sphalerite: An EPR study—*P. Bernardini, M. Borgheresi, C. Cipriani, et al.****80

Vol. 31, No. 3, 2004

- Generation of hydrogen ions and hydrogen gas in quartz–water crushing experiments: An example of chemical processes in active faults—*K. Saruwatari, J. Kameda, and H. Tanaka****176
- Characterisation of the antiferromagnetic transition of $\text{Cu}_2\text{FeSnS}_4$, the synthetic analogue of stannite—*A. Caneschi, C. Cipriani, F. Di Benedetto, et al.****190

PHYSICS OF THE EARTH AND PLANETARY INTERIORS

Vol. 141, No. 3-4, 2004

- Transitional field clusters from uppermost Oligocene volcanic rocks in the central Walker Lane, western Nevada—*Michael S. Petronis, John W. Geissman, and William C. McIntosh****207
- Tectonic evolution of the Lachlan Fold Belt, southeastern Australia: constraints from coupled numerical models of crustal deformation and surface erosion driven by subduction of the underlying mantle—*Jean Braun and Cristina Pauselli****281

PRECAMBRIAN RESEARCH

Vol. 128, No. 1-2, 2004

- Neoproterozoic A-type granitoids of the central and southern Appalachians: Intraplate magmatism associated with episodic rifting of the Rodinian supercontinent—*Richard P. Tollo, John N. Aleinikoff, Mervin J. Bartholomew, and Douglas W. Rankin****3
- Age and emplacement of late Sveconorwegian monzogabbroic dykes, SW Sweden—*Fredrik A. Hellström, Åke Johansson, and Sven Åke Larson****39
- A high-resolution, calibrated airborne radiometric dataset applied to the estimation of crustal heat production in the Archaean northern Pilbara Craton, Western Australia—*Simon Bodorkos, Mike Sandiford, Brian R.S. Minty, and Richard S. Blewett****57
- Young porphyries, old zircons: New constraints on the timing of deformation and gold mineralisation in the Eastern Goldfields from SHRIMP U–Pb zircon dating at the Kanowna Belle Gold Mine, Western Australia—*A.A. Ross, M. E. Barley, S.J.A. Brown, N.J. McNaughton, J.R. Ridley, and I.R. Fletcher****105
- Contrasting copper and chromium metallogenic evolution of terranes in the Palaeoproterozoic Itabuna–Salvador–Curaçá orogen, São Francisco craton, Brazil: new zircon (SHRIMP) and Sm–Nd (model) ages and their significance for orogen-parallel escape tectonics—*Elson P. Oliveira, Brian F. Windley, Neal J. McNaughton, Marcio Pimentel, and Ian R. Fletcher****143
- Paleomagnetism of the 1.88-Ga Sokoman Formation in the Schefferville–Knob Lake area, Québec, Canada, and implications for the genesis of iron oxide deposits in the central New Québec Orogen—*George E. Williams and Phillip W. Schmidt****167

PROCEEDINGS OF THE RUSSIAN MINERALOGICAL SOCIETY

Vol. 132, No. 5, 2003

- Complex sulfides of germanium and their genetic inter-relations—*S.N. Nenasheva****59
- Sulforarsenides and arsenides of Co, Fe and Ni in ores of Ishkininskoye cobalt-copper massive sulphide deposit (southern Urals)—*I.Yu. Melekestseva, V.V. Zaykov, and S.G. Tesalina****66
- Mechanism of multistage formation of siderite in the Bakal ore field (southern Urals)—*I.G. Demshuk, M.T. Krupenin and V.N. Sazonov****86
- Metasomatic olivine in kimberlites of the Dyuken field, Anabar Region—*E.A. Chernysheva, N.V. Alymova, and O.Yu. Belozerova****93

QUATERNARY RESEARCH

Vol. 61, No. 1, 2004

Oxygen isotope records of goethite from ferricrete deposits indicate regionally varying Holocene climate change in the Rocky Mountain region, U.S.A.—*Derek J. Sjostrom, Michael T. Hren, and C. Page Chamberlain****64

REMOTE SENSING OF ENVIRONMENT

Vol. 89, No. 4, 2004

Identification of spectrally similar materials using the USGS Tetracorder algorithm: the calcite–epidote–chlorite problem—*J. Brad Dalton, Dana J. Bove, Carol S. Mladinich, and Barnaby W. Rockwell****455

SCIENCE

Vol. 303, 2004

Oxygen isotope constraints on the sulfur cycle over the past 10 million years—*Alexandra V. Turchyn and Daniel P. Schrag****2007

SCIENCE OF THE TOTAL ENVIRONMENT

Vol. 318, No. 1-3, 2004

Platinum group elements in the environment and their health risk—*Khairwal Ravindra, László Bencs, and René Van Grieken****1

Human lead exposure in England from approximately 5500 to the 16th century—*P. Budd, J. Montgomery, J. Evans, and M. Trickett****45

Vol. 319, No. 1-3, 2004

Radon and King Solomon's Miners: Faynan orefield, Jordanian Desert—*J.P. Grattan, G.K. Gillmore, D.D. Gilbertson, F.B. Pyatt, C.O. Hunt, S.J. McLaren, P.S. Phillips, and A. Denman****99

SEDIMENTARY GEOLOGY

Vol. 165, No. 1-2, 2004

Synthrusting deposition of the Pennsylvanian and Permian Strathearn Formation, Northern Carlin Trend, Nevada—*Ted G. Theodore, Vladimir I. Berger, Donald A. Singer, Anita G. Harris, and Calvin H. Stevens****1

Vol. 166, No. 1-2, 2004

Evaporite mineralogy and geochemical evolution of the Sambhar Salt Lake, Rajasthan, India—*R. Sinha and B.C. Raymahashay****59-71

Using geochemistry to establish the igneous provenances of the Neogene continental sedimentary rocks in the Central Depression and Altiplano, Central Andes—*Luisa Pinto, Gérard Hérail, Bernard Moine, François Fontan, Reynaldo Charrier, and Bernard Dupré****157

SEDIMENTOLOGY

Vol. 51, No. 2, 2004

Reflux stratabound dolostone and hydrothermal volcanism-associated dolostone: a two-stage dolomitization model (Jurassic, Lebanon)—*Fadi H. Nader, Rudy Swennen, and Rob Ellam****339

SOUTH AFRICAN JOURNAL OF GEOLOGY

Vol. 106, No. 2-3, 2003

Procedures used to produce a digitized geological mapping database of the area around the Venetia kimberlite pipes, Limpopo Belt, South Africa—*A. Doorgapershad, M. Barnett, C. Twiggs, J. Martin, L. Millonig, R. Zenglein, R. Klemd, W.P. Barnet, and J.M. Barton, Jr.****103

The geology of the area around the Venetia kimberlite pipes, Limpopo Belt, South Africa: A complex interplay of nappe tectonics and granitoid magmatism—*J.M. Barton, Jr., W.P. Barnett, E.S. Barton, M. Barnett, A. Doorgapershad, C. Twiggs, R. Flemd, J. Martin, L. Mellonig, and R. Zenglein****109

P-T path constraints from calc-silicate metapelitic rocks east of the Venetia kimberlite pipes, Central Zone, Limpopo Belt, South Africa: Have these rocks seen granulite-facies conditions?—*R. Klemd, J. Martin, A. Schmidt, and J.M. Barton, Jr.****129

Geological control on slope failure mechanisms in the open pit at the Venetia Mine—*W.P. Barnett****149

Volcanological and structural aspects of the Venetia kimberlite cluster - a case study of South African kimberlite maar-diatreme volcanoes—*S. Kurszlauskis and W.P. Barnett****165

Hydrogeology of the Venetia Diamond Mine, South Africa—*K.L. Morton and S. Müller****193

Measured and calculated compressional wave velocities of crustal and upper mantle rocks in the Central Zone of the Limpopo Belt, South Africa - implications for lithospheric structure—*W. Pretorius and J.M. Barton, Jr.****205

Petrology and geochemistry of crustal and upper mantle xenoliths from the Venetia Diamond Mine - evidence for Archean crustal growth and subduction—*W. Pretorius and J.M. Barton, Jr.****213

Mylonitization and decomposition of garnet: Evidence for rapid deformation and entrainment of mantle garnet-harzburgite by kimberlite magma, K1 pipe, Venetia Mine, South Africa—*J.M. Barton, Jr. and T.V. Gerya****231

TECTONICS

Vol. 23, No. 1, 2004

Regional deformation of the Sierra de San Luis, Argentina: Implications for the Paleozoic development of western Gondwana—*Steven J. Whitmeyer and Carol Simpson****17 January

Three-dimensional Laramide deformation of the Colorado Plateau: Competing stresses from the Sevier thrust belt and the flat Farallon slab—*Alexander P. Bump****24 January

Conductive incubation and the origin of dome-and-keel structure in Archean granite-greenstone terrains: A model based on the eastern Pilbara Craton, Western Australia—*Mike Sandiford, Martin J. Van Kranendonk, and Simon Bodorkos****27 January

Lateral slab deformation and the origin of the western Mediterranean arcs—*Claudio Faccenna, Claudia Piromallo, Ana Crespo-Blanc, Laurent Jolivet, and Federico Rossetti****03 February

TECTONOPHYSICS

Vol. 378, No. 1-2, 2004

- Magnetic fabrics and rock magnetism of Proterozoic dike swarm from the southern São Francisco Craton, Minas Gerais State, Brazil—*Maria Irene Bartolomeu Raposo, Alexandre O. Chaves, Paulo Lojkasek-Lima, Manoel Souza D'Agrella-Filho, and Wilson Teixeira****43
- Development of fluid conduits in the auriferous shear zones of the Hutti Gold Mine, India: evidence for spatially and temporally heterogeneous fluid flow—*Jochen Kolb, Amanda Rogers, F. Michael Meyer, and Torsten W. Vennemann****65
- Stratigraphic control of hot fluids on anthracitization, Lackawanna synclinorium, Pennsylvania—*Michael J. Harrison, Stephen Marshak, and Charles M. Onasch****85

Vol. 379, No. 1-4, 2004

- How was Taiwan created?—*Jean-Claude Sibuet and Shu-Kun Hsu****159
- Tectonic significance of a Llanvirn age for the Dunn Point volcanic rocks, Avalon terrane, Nova Scotia, Canada: implications for the evolution of the Iapetus and Rheic Oceans—*Michael A. Hamilton and J. Brendan Murphy****199
- Palaeomagnetism and magnetostratigraphy of the Permian–Triassic northwest central Siberian Trap Basalts—*E.L. Gurevitch, C. Heunemann, V. Rad'ko, M. Westphal, V. Bachtadse, J.P. Pozzi, and H. Feinberg****211

TERRA NOVA

Vol. 16, No. 1, 2004

- Structural controls on sulphide deposition at the dyke-lava boundary, slow-spreading ocean crust, Macquarie Island—*Garry J. Davidson, Rick Varne, Anthony V. Brown, and Robert Connell****9
- Fold interference patterns in the Late Palaeozoic Anti-Atlas belt of Morocco—*Caritg Séverine, Burkhard Martin, Ducommun Romain, Helg Urs, Kopp Lionel, and Sue Christian****27

Vol. 16, No. 2, 2004

- Stable isotope evidence for magmatic fluid input during large-scale Na-Ca alteration in the Cloncurry Fe oxide Cu-Au district, NW Queensland, Australia—*Geordie Mark, Damien R. W. Foster, Peter J. Pollard, Patrick J. Williams, Justin Tolman, Michael Darvall, and Kevin L. Blake****54
- Palaeoproterozoic arc magmatism and collision in Liaodong Peninsula (north-east China)—*Michel Faure, Wei Lin, Patrick Monié, and Olivier Bruguier****75